CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 49, 2012

A

Aballay, F. H., 183
Abarca, K., 219
Abbasi, I., 515
Abdel-Dayem, M. S., 739
Acosta-Jamett, G., 219
Adamson, S., 1339
Afify, A., 988
Agramonte, N. M., 1370
Ahmed, M.A.I., 1405
Ahn, Y.-J., 107, 631, 876, 1084
Alencar, J., 952
Ali, A., 1370
Ali, L., 547
Allan, B. F., 772
Allan, S. A., 94
Allgood, D., 482
Alten, B., 581
Alto, B. W., 942
Alvarado-Otegui, J. A., 1379
Alves, A.-M., 336
Alves, M. J., 717
Amador, M., 917
Anđelković, M., 497
Anderson, S. L., 132, 942, 1502
Andrade, A. J., 445
Andreadis, T. G., 277, 474
Andreoli, G. S., 1510
Angeli, L., 833
Angelini, P., 388
Anishchenko, M., 939
Annajar, B. B., 739
Anstrom, D. M., 350
Argüello, A., 1419
Arias, J. R., 1318
Arlian, L. G., 1411
Armbruster, P., 777, 1233
Armistead, J. S., 1318
Armstrong, K., 746
Arzua, M., 710
Assumpção, T.C.F., 563
Atiku, L. A., 210, 1027
Avšič-Županc, T., 436
Azeem, M., 1067
Azirun, M.A., 1198

B

Babba, H., 787
Babi, N., 210, 1027
Baeck, S.-J., 876
Bahl, J., 522
Balestrino, F., 595, 1045
Barber, J., 112, 757
Barker, C. M., 895
Barrera, R., 917
Barros-Battesti, D. M., 710
Bartlett-Healy, K., 813
Bartosik, K., 859
Bastic, V., 156, 436
Bauer, S., 1430
Beati, L., 77
Beckage, N. E., 1361
Beckmann, J. F., 1103
Beerntsen, B. T., 656
Behle, R. W., 1035
Bell, J. A., 1430
Bella, A., 833
Bellini, R., 388
Benedict, M. Q., 595, 1001, 1045
Bennett, S., 1485
Beresford, D. V., 1262
Bernhardt, S. A., 492
Bernier, U., 1387
Bernier, U. R., 1370
Bharadwaj, A., 1035
Biggerstaff, B. J., 165, 678
Bingham, A. M., 917
Birkett, M. A., 112
Björk, L., 1398
Black, IV, W. C., 356, 1442
Blum, M. J., 522
Boccolini, D., 833
Boegler, K. A., 1442
Bong, L.-J., 451
Bongiorno, G., 833
Boonprasertpon, M., 672
Booth, W., 535, 865
Borchert, J. N., 210, 1027
Borg-Karlson, A.-K., 1067, 1398
Bossin, H., 51, 971
Boudabous, R., 787
Bouking, K., 672
Bounamous, A., 787
Bowers, D. F., 418
Bragança, M., 1154
Brake, D. K., 589
Brandão, P. E., 1510
Brault, A. C., 939
Brazil, R. P., 43
Brewer, C. M., 1430
Brewster, C. C., 1424
Brogan, R., 1124
Brouhard, E. A., 1307
Brown, H. E., 210
Brown, J., 165
Brown, M. D., 783
Browning, R., 547, 1339
Bruce, J., 1118
Bruggner, R. V., 316
Brunner, J. L., 981
Buczek, A., 859
Bulanowski, D., 1124
Burkett-Cadena, N. D., 378, 746
Burkhalter, K., 165
Burns, J. E., 343
Burri, C., 156, 436
Bustamante, M., 1159
Butters, M. P., 356
Byrd, B. D., 1189

C

Cabanás, J. M., 1481
Caceres, A. G., 77
Ćakić, S., 497
Cameron, M. M., 1118
Cantrell, C. L., 1370
Carpenter, S., 112, 967
Carpenter, S. T., 757
Carrieri, M., 388
Carroll, B. D., 903
Castillo, L. F., 1092
Castro, M. B., 237
Chae, H. Y., 231
Chang, K.-S., 631
Charlwood, J. D., 1154
Chaudhury, M. F., 293, 1495
Chaves, L. F., 1328
Cheah, W. Y., 371
Chen, C.-C., 1144
Chen, C.-D., 803
Choi, C. Y., 231
Chong, S. T., 231
Chu, Y. Y., 85
Chuang, T.-W., 851
Ciota, A. T., 35
Claborn, D., 1460
Clark, J. M., 336
Clarke, D. E., 947
Cocchi, M., 833
Cohnstaedt, L. W., 77, 94
Collins, F. H., 316
Conant, G. C., 656
Conner, L. M., 783
Cook, J. I., 112
Coosemans, M., 1226
Cornel, A. J., 299
Coulibaly, K., 1361
Cowles, J., 1254
Crabtree, M. B., 1289
Crepeau, T., 813
Crockett, R. K., 165
Crowder, C. D., 843
Cummings, R., 687, 1485
Curry, P. S., 1144

D
Damiens, D., 1001
Dana, A. N., 316
Danielsen, D.W.R., 947
Dannen, M., 939
Dasch, G. A., 1485
Davey, R. B., 410
Day, J. F., 418
de Avelar, D. M., 23
De Clereq, E. M., 1226
De Collibus, K., 687
Debboun, M., 652
de la Fuente, J., 794
Delle Monache, L., 1244
Delorey, M. J., 1027
Demirci, B., 581
Denlinger, D. L., 215
Deus, K. M., 356
Devine, G. J., 606
Diaz, M., 1159
Diclaro, II, J. W., 94
Di Luca, M., 833
Dobson, S. L., 51, 971
Dolan, M. C., 101
Dong, Y., 573
Dong, Y. D., 1012
Dong, Y.-D., 1283
Donohue, A. M., 237
Donovan, D. J., 61
Dorval, M.E.C., 43
Doud, C. W., 150, 286
Downs, J. A., 746
Doyle, M. S., 678
Drobnack, J., 35
Drummond, C. L., 35
Duangkaew, P., 993
Duhaime, R., 410
Dujardin, J. P., 504
Duke, S. O., 1370
Dunkel, F. V., 1361
Dunn, J. R., 731

E
Ebel, G. D., 35
Ecker, D. J., 843
Edwards, K. T., 922
Eisen, L., 11, 1244
Eisen, R. J., 11, 210, 1027, 1442
Elder, B. L., 1411
El-Seedi, H. R., 1067
Emmanouel, N., 262
Enríquez, G. F., 1379
Enscore, R. E., 210, 1027
Epp, T., 1144
Eremeeva, M. E., 1485
Erickson, D. L., 364
Erthal, J. A., 1109
Eshoo, M. W., 843
Espinosa, M. O., 722
Espinoza, J., 1159
Es-Sette, N., 1507
Estep, L. K., 378
Estrada-Peña, A., 794

F
Faaruia, M., 971
Facchinelli, L., 1177
Fallon, A. M., 1103
Fang, Y., 939, 1466
Farajollahi, A., 813
Fausto, A. M., 833
Federici, B. A., 886
Feng, X. Y., 1012
Fernandes, C. E., 43
Figuerola, J., 1419
Foil, L. D., 227
Fonseca, D. M., 813, 1226, 1233
Fornadel, C. M., 307
Foy, B. D., 356
Frances, S. P., 1270
Francischetti, I.M.B., 563
Friesen, K. M., 461
Fritz, M. L., 326
Fryxell, R. T., 299

G
Gage, K. L., 210, 492, 1027, 1442
Gaines, M. K., 652
Galati, E.A.B., 43, 238, 445
Gallardo, A., 332
Gang, W., 1283
García, A. L., 1159
García, F., 1481
Gardner, A. M., 270
Garelli, F. M., 722
Garlapati, R. B., 515
Gaspe, M. S., 504, 1379
Gaugler, R., 813, 988
Geden, C. J., 606
Geier, M., 1387
Gerhardt, R. R., 1473
Germano, M. D., 1355
Gern, L., 156, 436
Gerry, A., 687
Giatropoulos, gA., 262
Gilles, J.R.L., 595, 1001, 1045
Gleim, E., 783
Goddard, J., 922
Goessling, L. S., 772
Goldberg, T. L., 61, 474
Golding, N., 112, 757
Gondhalekar, A. D., 122
González-Audino, P., 332
Goodell, P., 299
Goolsby, J. A., 410
Göransson, U., 1067
Gordon, D. M., 1460
Gould, F., 1177
Graham, C. B., 210, 1442
Gregory, T. L., 1254
Gubbins, S., 757
Guerne, M., 156
Guglielmone, A. A., 794
Guo, X.-X., 1012, 1283
Gurevitz, J. M., 504, 1379
Gürtler, R. E., 504, 722, 1379

H
Hall, R. A., 371
Hall-Mendelin, S., 371
Hamdi, S., 1507
Hamer, G. L., 61, 270, 474
Hamer, S. A., 1473
Hanafi, H. A., 739
Harbison, J. E., 343
Hardstone, M. C., 277
Harker, B. W., 316
Harmon, J. R., 697
Harrison, B. A., 1189
Harrup, L. E., 112, 757
Hashim, R., 803
Hassan, H. K., 378, 917, 1430
Hayden, M. H., 1244
Hayes, E. K., 1485
Healy, S., 813
Hernandez, J., 746
Hernández-Castellano, L. E., 1419
Hickling, G. J., 697, 1473
Hieu, T. T., 1084
Higa, Y., 165
Hildebrand, J. G., 1254
Hill, G. E., 378
Hill, K., 746
Hines, A. M., 270
Holmes, J. L., 210, 1442
Hong, Y. S., 316
Hood-Nowotny, R., 61
Hoover, V., 746
Horiuchi, K., 165
Hoshino, K., 175
Hu, R., 343, 1485
Huang, J., 731
Huang, S., 474
Huddleston, D. B., 731
Hughes, T., 813
Hunt, B., 746
Hurst, T. P., 624, 1021

I
Ionides, E. L., 851
Irish, S. R., 1118
Isawa, H., 175
Ishiwatari, T., 1052
Itnyre, A. A., 947

J
Jaal, Z., 451
Jackson, B. T., 1424
Jaenson, T.G.T., 1398
Jambulingam, P., 441
Jansen, C. C., 371
Jaouadi, K., 787
Jenboonlap, M., 672
Jenkins, E., 1144
Jiang, Y.-F., 1283
Jinright, J., 746

Johnson, K. L., 364
Johnson, G. D., 461
Johnson, P. H., 29
Johnston, J. S., 192
Jones, C. E., 467
Jones, C. J., 697, 1473
Jones, R. T., 492
Jones, T. F., 731
Jordan, R. A., 101
Jordano, R., 1481
Juliano, S. A., 825, 927

K

Kabashima, J. N., 947
Kading, R. C., 1289
Kaewnopparat, N., 672
Kaikis, A., 1124
Kalk, C. N., 350
Karim, S., 547, 1339
Karpathy, S. E., 1485
Kasai, S., 175
Kaufman, M. G., 61, 1307
Kaufman, P. E., 1059
Kay, B. H., 624, 1021
Kelley, K. L., 237
Kelly, R., 165
Kennedy, C. J., 614
Kern, M. K., 316
Kerr, N., 1485
Kesavaraju, B., 813, 988
Khalil, N. S., 1067
Khan, I., 1370
Killilea, M., 981
Kilpatrick, A. M., 467
Kim, H. C., 231
Kim, J.-R., 107
Kim, S.-I., 107, 876, 1084
Kirkup, B. C., 1137
Kitron, U. D., 504, 1328, 1379
Klein, T. A., 231
Kluh, S., 903
Knap, N., 436
Kneitel, J. M., 482
Knepper, R. G., 851, 1307
Kobayashi, M., 175
Kobylinski, K. C., 1244
Koehler, P. G., 94
Koffi, J. K., 400
Koliopoulos, G., 262
Korva, M., 436
Kramer, L. D., 35
Krueger, L., 1485
Kuehn, K. A., 482
Kumar, D., 1515
Kuno, G., 1163
Kvasager, D. K., 1430
Kwon, H. W., 107, 876

L

Labruna, M. B., 219, 710, 794, 1510
Lan, Q., 350
Lanzaro, G. C., 299, 307, 581
Lao, A. R., 336
Lareschi, M., 1276
Lee, C.-Y., 451
Lee, S.-H., 876
Lee, Y., 85, 299, 307, 581
Legros, M., 1177
Leighton, P. A., 400
Lemenager, D. A., 903
Lemperiere, G., 1045
Lemrani, M., 1507
Lepe, P., 219
Lerdthusnee, K., 1270
Lessard, B. D., 1206
Levin, M. L., 783
Lewokzco, K., 731
Li, C.-X., 573, 1012, 1283
Linardi, P. M., 23
Lindsay, L. R., 400
Linhares, A. X., 23
Linthicum, K. J., 1270
Liu, M. D., 1012
Livdahl, T., 1109
Lloyd, A. L., 1177
Lobo, N. F., 316
Logan, J. G., 112
Lohmeyer, K. H., 647
Lommano, E., 156
López, J., 219
Lopez-Martinez, G., 215
Lord, C. C., 132, 1502
Lorosa, E. S., 952
Lothrop, H. D., 903, 1466
Lounibos, L. P., 467, 1318
Loveridge, J., 1453
Lowenberger, C. A., 614
Lozano-Fuentes, S., 1244
Lü, L., 1076
Lucas, J. R., 1052
Luong, K., 1361
Lura, T., 687
Lusk, J., 746
Lutwama, J. J., 1289
Lysyk, T. J., 253

M

Maccagnani, B., 388
Macedo, P. A., 237
Mackay, A. J., 917
Maeder, G., 156
Mancini Barbieri, F., 833
Mandelbaum, R. S., 772
Maneenuan, D., 672
Mangold, A., 794
Mann, T., 783
Marcili, A., 710
Marcondes, C. B., 952
Marie, J., 971
Mariluis, J. C., 183
Mark, D. R., 198
Marra, P. P., 467
Marten, G. G., 640
Martin, A. P., 492
Martínez-de la Puente, J., 1419
Martins, T. F., 1510
Mascari, T. M., 227
Massa, A., 833
Mastrangelo, T., 1495
Mateus-Pinilla, N., 955
Matsumura, F., 1405
Mattar, S., 960
Matthews, H. E., 843
Mc Abee, R. D., 299
McClure, C.J.W., 378
Mead, D., 165
Medina, L. M., 1481
Mehus, J. O., 1430
Mellor, P. S., 112, 757
Mellouki, F., 1507
Mendenhall, I. H., 522, 1092
Mercer, D. R., 51, 971
Metzger, M. E., 343
Meuti, M., 215
Michaelakis, A., 262
Michaud, J.-P., 1
Mihaljica, D., 497
Miller, B. R., 165 1289
Miller, J. R., 326
Milord, F., 400
Milutinović, M., 497
Miranda, J., 960
Mito, N., 1052
Miyaguchi, J., 1052
Miyazaki, R. D., 223
Mogi, M., 1233
Monaghan, A. J., 1244
Moncayo, A. C., 731
Montenieri, J. A., 210, 1442
Montgomery, B. L., 371
Moody, E. E., 731
Moon, R. D., 198
Moore, S. J., 1118
Moraes-Filho, J., 710
Moreau, G., 1
Moreno-Indias, I., 1419
Morgan, M. S., 1411
Morgan, T., 687
Morningstar, R. J., 474
Morone, F., 952
Morrison, A. C., 85
Mortensen, R. D., 364
Mougabure-Cueto, G., 332, 1355, 1379
Mpanga, J. T., 210, 1027
Mukaratirwa, S., 1453
Mukherjee, S., 731
Mulieri, P. R., 183
Muller, L. I., 1473
Munstermann, L. E., 77
Mutebi, J.-P., 678, 1289

N

Nakada, K., 1052
Nam, H. Y., 231

Nasci, R., 165
Nava, S., 794, 1276
Neira, L. A., 1092
Nelson, J. A., 955
Neoh, K.-B., 451
Newman, C. M., 270
Nguyen, A. T., 1328
Nguyen, H. L., 624
Nguyen, K., 687
Nicholson, R. A., 614
Nieman, C. C., 299
Nieri-Bastos, F. A., 710
Nishimura, N., 1318
Norris, D. E., 307
Notario, M. J., 1481
Nourlil, J., 1507
Novak, M. G., 237

O

Obenauer, P. J., 739, 813
Obermayr, U., 1387
Ocampo, C. B., 1092
Ochoa-Martinez, C., 1244
O'Connor, L., 51
Ogden, N. H., 400
Ohashi, K., 1052
Olafson, P. U., 555
Oliva, C. F., 1045
Oliveira, A. G., 43
Oliveira, L.C.M.d., 952
O'Neill, S. L., 624
Osório, H. C., 717
Ostfeld, R. S., 981
Oteo, J. A., 960
Ottendorfer, C. L., 746
Ou, R., 656
Ovallos, F. G., 238

P

Pacheco, R. C., 710
Pålsson, K., 1067, 1398
Park, C., 631
Parrado, R., 1159
Patalas, E., 156
Paulson, S. L., 1424
Pérez de León, A. A., 410
Peck, G. W., 1137
Pecor, J., 1226
Pelcat, Y., 400
Pereira, R. M., 94
Perumalsamy, H., 107
Petersen, C., 1460
Pethuan, S., 993
Pfukenyi, D. M., 1453
Pham, V. M., 563
Phasomkusolsil, S., 1270
Philipson, C. A., 843
Phulsuksombati, D., 1270
Picard, C. J., 192
Pickett, J. A., 112
Picollo, M. I., 332, 1355, 1379
Piesman, J., 11
Pittman, G., 624
Poché, D., 515
Poché, R., 515
Poelchau, M., 777
Pontuale, G., 833
Portillo, A., 960
Pound, J. M., 647
Powers, A. M., 1289
Provecho, Y. M., 1379
Pruett, J. H., 555
Purse, B. V., 112

Q

Qualls, W. A., 418, 652

R

Racelis, A. E., 410
Radulović, Ž., 497
Raffaelli, I., 833
Rai, M., 1515
Ramalho-Ortigao, M., 1460
Ramsey, J. M., 1177
Ratanatham, S., 1270
Reinker, K. I., 947
Reisen, W. K., 143, 895, 903, 939, 1466
Reisenman, C. E., 563, 1254
Reiskind, M. H., 71
Reithinger, R., 1159
Ribeiro, A.L.M., 223
Ribeiro, J.M.C., 563
Richards, S. L., 132, 942, 1502
Richtzenhain, L. J., 710
Rinehart, J. P., 1347
Ritchie, S. A., 29, 371
Rivers, D. B., 1124
Robert, M. A., 1177
Robich, R. M., 1347
Roca-Acevedo, G., 1355
Rochon, K., 253
Rogers, D. J., 112
Romi, R., 833
Rongnoparut, P., 993
Rose, A., 1387
Rosen, M. E., 1473
Rounds, M. A., 843
Rowland, M. E., 731
Roy, A., 165
Ruby, M. A., 35
Ruiz, M. O., 270
Ruiz, S., 1419
Russell, C. W., 364
Rust, M. K., 947
Ruther, J., 1387
Rutz, D. A., 1059
Ryan, P. A., 624, 1021
Rydzewski, J., 955

S

Saavedra-Rodriguez, K., 356
Sadlova, J., 967
Saenz, V. L., 535, 865
Sagel, A., 293, 1495
Sanders, C. J., 112, 757
Sang, M. C., 51, 971
Santangelo, R. G., 535
Santo-Orihuela, P., 1355
Sarapusit, S., 993
Sasaki, T., 175
Savary, W., 1254
Sawabe, K., 175
Schachter-Broide, J., 504
Schaffner, F., 1226
Schal, C., 535, 865
Scharf, M. E., 122
Schicht, S., 766
Schlechte, K. G., 589
Schneider, J. C., 1370
Schnieder, T., 766
Schoeler, G., 813
Schoenly, K. G., 1
Schulze, T. L., 101
Schutzer, S. E., 843
Scoles, G. A., 253, 843
Scott, J. D., 237
Scott, M. C., 697, 1473
Scott, T. W., 85, 1177
Seblova, V., 967
Seifert, S. N., 299, 307
Severini, F., 833
Sharakhova, M. V., 316
Shiao, S.-F., 424
Shin, E.-H., 631
Shono, Y., 1052
Sickerman, S., 746
Silva, J.D.S., 952
Silva, M., 223
Sim, C., 316
Skoda, S. R., 293, 1495
Smartt, C. T., 132
Smith, M. L., 652
Smith, W., 922
Soares, J. F., 219
Sofian-Azirun, M., 803, 1198
Soghigian, J. S., 1109
Soliban, S. M., 1045
Song, B., 350
Songkro, S., 672
Soos, C., 1144
Soriguer, R., 1419
Spitzauer, V., 29
Spolidorio, M. G., 1510
Srinivasan, R., 441
Srisook, E., 993
Stafford, III, K. C., 1035
Stamenković-Radak, M., 497
Stanuszek, W. W., 851, 1307
Stark, L. M., 746
Steinhoff, D. F., 1244
Stephens, C. R., 927
Stoddard, S. T., 85
Stout, R. W., 227
Strickman, D., 813
Strong, C., 1059

Strube, C., 766
Strycharz, J. P., 336
Suh, S. J., 231
Summa, K., 777
Sundar, S., 1515
Sutcliffe, J. F., 1262
Swope, B. N., 678

T

Tabachnick, W. J., 132, 1502
Taher, E. A., 1067
Takahashi-Nakaguchi, A., 175
Takaoka, H., 803, 1198
Tamburro, A., 833
Tan, W. L., 1012
Tanskul, P., 1270
Tapia-Santos, B., 1244
Tarone, A. M., 192
Taylor, D. B., 198, 286
Tello, S. A., 1092
Temeyer, K. B., 555, 589
Tetuanui, A., 971
Thach, R. E., 772
Thiemann, T. C., 143, 903
Tilzer, A., 1485
Tiwary, P., 1515
Toloza, A. C., 1355
Toma, L., 833
Tomanović, S., 497
Trudel, L., 400
Truhett, R., 547
Tsao, J. I., 697
Tsuda, Y., 175
Tucker, J. R., 237

U

Uejio, C. K., 1244
Unlu, I., 813
Unnasch, R. S., 746
Unnasch, T. R., 378, 746, 917, 1430
Urbanski, J. M., 777

V

Valerio, L., 1177
Vamosi, S. M., 825
Van Bortel, W., 1226
van den Hurk, A. F., 371
Vander Kelen, P. T., 746
Varela-Stokes, A., 922
Vargo, E. L., 535, 865
Varnado, W., 165
Varner, K., 410
Vassena, C. V., 1355, 1379
Vaughan, J. A., 1430
Vaughan, J. L., 1430
Velat, T. C., 955
Velten, R. K., 687, 1485
Venturelli, C., 388
Venzal, J. M., 794
Versteirt, V., 1226
Vetter, R. S., 947
Vincent, L. S., 947
Vineyard, M. P., 895
Volf, P., 967
Vongsombath, C., 1398

W

Walder, J.M.M., 1495
Waldner, C., 1144
Waldron, J. K., 1059
Waliwitiya, R., 614
Walker, E. D., 61, 270, 326, 474, 851, 1307
Walton, W. E., 886
Wang, C., 535, 1076
Wang, S., 656
Wang, Z. C., 1012
Wang, Z.-M., 1012, 1283
Warburg, A., 515
Warner, R. E., 955
Watcharapichat, P., 1270
Weaver, J. H., 652
Welch, J. B., 1495
Welsh-Rodriguez, C., 1244
Wendland, L., 783
Weng, J.-L., 1460
Wesson, D. M., 522, 1092, 1189
Wheeler, S. S., 895, 1466
Wigand, T., 1124
Wille, M., 1001
Williams, A. M., 1485
Williams-Newkirk, A. J., 1328
Wilson, M. L., 851
Wilson, R., 731
Wirth, M. C., 886
Wiśniowski, Ł., 859
Wright, S. A., 237
Wong, J., 85
Wu, Z.-M., 1012, 1283

X

Xin, D.-S., 1283
Xing, D., 1012, 1283
Xu, M., 1076
Xue, R.-D., 418, 652, 1283

Y

Yabsley, M. J., 783
Ya'cob, Z., 803, 1198
Yan, T., 573
Yang, S.-T., 424
Yao, W.-J., 1283
Yeates, D. K., 1206
Yee, D. A., 482, 825
Yocum, G. D., 1347
Yoon, J.-S., 876
Young, S. L., 1460

Z

Zaldivar, Y., 1485
Zarrabi, A. A., 71
Zavortink, T. J., 1189
Zeilhofer, P., 223
Zemtsova, G. E., 783
Zé-Zé, L., 717
Zhang, Y.-M., 1012, 1283
Zhao, T.-Y., 573, 1012, 1283
Zhao, X., 777
Zhou, W., 364
Zhou, X., 350
Zielinski-Gutierrez, E., 11, 1244
Zimba, M., 1453
Zurek, L., 150, 286

CUMULATIVE SUBJECT INDEX
Journal of Medical Entomology
Volume 49, 2012

A

Acari,
  acaricide resistance, 555
  AChE, 555
  cattle fever tick, 555
  Ixodidae, 555
acaricide resistance,
  Acari, 555
  AChE, 555
  cattle fever tick, 555
  Ixodidae, 555
acetylcholinesterase,
  H. irritans, 589
  horn fly, 589
  organophosphate, 589
  resistance, 589
acetylcholinesterase inhibition,
  botanical insecticide, 1084
  Stomoxys calcitrans, 1084
  Zanthoxylum armatum, 1084
  Zanthoxylum piperitum, 1084
AChE,
  Acari, 555
  acaricide resistance, 555
  cattle fever tick, 555
  Ixodidae, 555
adult size variation,
  Aedes polynesiensis population dynamic, 51
  filariasis vector, 51
  seasonality, 51
  trap sampling, 51
Aedes, 482, 942
  bacteria, 482
  container, 482
  Culex, 482
  dengue virus, 942
  Florida, 942
  protozoan, 482
  vector competence, 942
Aedes aegypti, 85, 356, 614, 624, 722, 876, 917, 1163, 1177, 1244, 1370, 1387, 1405
  Aedes albopictus, 1163
  Aedes mediovittatus, 917
  Aedes (*Ochlerotatus*) *epactius*, 1244
  Akaike's Information Criterion, 722
  artificial container, 1244
  biting deterrence, 1370
  climate, 1244
  cross-resistance, 356
  dengue, 722, 917, 1163
  DNA extraction, 85
  elevation, 1244
  essential oil, 614
  esterase, 614
  ethoxyresorufin *O*-deethylase, 614
  experimental design, 1177
  fatty acid, 1370
  field cage experiment, 1177
  fitness, 624
  formamidine, 1405
  glutathione S-transferase, 614
  individual behavior, 85
  ivermectin, 356
  mathematical model, 1177
  microsatellite genotyping, 85
  mosquito, 876
  neonicotinoid, 1405
  Novel Room Test, 1387
  oviposition, 85
  permethrin, 356
  plant essential oil, 876
  predation, 624
  push and pull system, 1387
  pyrethroid, 1405
  repellency, 876
  repellent, 1370
  spatial repellent, 1387
  structure-activity relationship, 1370
  synergistic action, 1405
  tire, 1163
  toxicity, 876
  transfer, 624
  transgenic female-killing, 1177
  United States, 1163
  vector, 917
  vector control, 722
  vertebrate host, 917
  Wolbachia, 624
  Y- tube olfactometer, 1387
Aedes albopictus, 262, 388, 573, 640, 652, 777, 988, 1163, 1233, 1424
  Aedes aegypti, 1163
  Aedes taenirohynchus, 652
  Aedes triseriatus, 1424
  Athens, 262
  bloodmeal, 1424
  chikungunya virus, 388
  circadian clock, 777
  continentality, 1233
  Culicidae, 1233
  dengue, 1163
  Epidemic risk threshold, 388
  eradication, 640
  Greece, 262
  intraspecific competition, 988
  La Crosse virus, 1424
  larval habitat, 640
  metofluthrin, 652
  mosquito, 640
  mosquito repellent, 652
  northern limit, 1233
  odorant-binding protein, 573
  ovitrap, 262, 640
  Ovitrap monitoring, 388
  period, 777
  personal protection, 652
  pesticide, 988
  population ecology, 988
  Pupal Demographic Survey, 388
  quantitative RT-polymerase chain reaction, 573
  refeeding, 1424
  seasonal oviposition activity, 262
  temperature, 1233
  timeless, 777
  tire, 1163
  United States, 1163
Aedes japonicus,
  Aedes triseriatus, 1307
  tree hole, 1307
Aedes koreicus,
  climate, 1226
  establishment, 1226
  exotic species, 1226
  population dynamics, 1226
Aedes mediovittatus,
  Aedes aegypti, 917
  dengue, 917
  vector, 917
  vertebrate host, 917
Aedes (*Ochlerotatus*) *epactius*,
  Aedes aegypti, 1244
  Aedes (*Ochlerotatus*) *epactius*, 1244
  artificial container, 1244
  climate, 1244
  elevation, 1244
Aedes polynesiensis population dynamic,
  adult size variation, 51
  filariasis vector, 51
  seasonality, 51
  trap sampling, 51

Aedes taenirohynchus,
Aedes albopictus, 652
metofluthrin, 652
mosquito repellent, 652
personal protection, 652
Aedes triseriatus, 1307, 1424
Aedes albopictus, 1424
Aedes japonicus, 1307
bloodmeal, 1424
La Crosse virus, 1424
refeeding, 1424
tree hole, 1307
Aedes vexans,
cross-correlation map, 851
Culex pipiens, 851
Culex restuans, 851
West Nile virus, 851
Aedes vigilax,
barrier, 1021
bifenthrin, 1021
bioassay, 1021
Culex annulirostis, 1021
Africa,
Anopheles arabiensis, 307
single-nucleotide polymorphism, 307
single-nucleotide polymorphism genotyping, 307
Akaike's Information Criterion,
Aedes aegypti, 722
Akaike's Information Criterion, 722
dengue, 722
vector control, 722
allele-specific PCR,
Anopheles sinensis, 1012
knockdown resistance, 1012
primer-introduced multiple PCR, 1012
primer-introduced restriction analysis PCR, 1012
allergy,
Chagas disease, 1254
dispersal, 1254
triatomine, 1254
United States, 1254
alphavirus,
arbovirus, 731
eastern, 731
encephalitis, 731
equine, 731
Alphavirus,
blood feeding behavior, 418
dissemination, 418
engorgement, 418
interrupted feeding, 418
Amblyomma, 697, 772, 1510
bloodmeal analysis, 697
Borrelia, 772
Brazil, 1510
Ehrlichia, 772
host DNA determination, 697
Ixodes, 697
Rickettsia, 1510
Rio de Janeiro, 1510
Sciuridae, 772
tick, 697, 772, 1510
Amblyomma americanum,
Ehrlichia chaffeensis, 547
PCR, 547
qRT-PCR, 547
salivary gland, 547
Amblyomma dissimile,
Amblyomma sp. larvae, 960
Rhipicephalus microplus larvae, 960
Rickettsia sp. strain Colombianensi, 960
tick, 960
Amblyomma longirostre,
Amblyomma parkeri, 710
Rickettsia amblyommii, 710
Rickettsia parkeri, 710
wild bird, 710
Amblyomma maculatum, 219, 1339
Amblyomma triste, 219
Chile, 219
qRT-PCR, 1339
reference genes, 1339
Rickettsia andeanae, 219
Amblyomma parkeri,
Amblyomma longirostre, 710
Rickettsia amblyommii, 710
Rickettsia parkeri, 710
wild bird, 710
Amblyomma sp. larvae,
Amblyomma dissimile, 960
Rhipicephalus microplus larvae, 960
Rickettsia sp. strain Colombianensi, 960
tick, 960
Amblyomma triste,
Amblyomma maculatum, 219
Chile, 219
Rickettsia andeanae, 219
Amblyomma tuberculatum,
phylogenetic analysis, 783
SFG *Rickettsia*, 783
American white pelican,
fecundity, 461
reproductive potential, 461
Stomoxys calcitrans, 461
Anaplasma phagocytophilum,
Borrelia burgdorferi sensu lato, 766
Ixodes, 766
quantitative real time PCR, 766
Rickettsia, 766
Anopheles arabiensis, 307, 326
Africa, 307
avermectin, 326
cattle, 326
malaria vector control, 326
milbemycin, 326
single-nucleotide polymorphism, 307
single-nucleotide polymorphism genotyping, 307
Anopheles funestus,
global warming, 1154
survival, 1154
temperature, 1154
wing-length, 1154
Anopheles gambiae,
development, 316
gene expression, 316
microarray, 316
Anopheles labranchiae,
environmental change, 833
Italy, 833
malaria, 833
Anopheles minimus,
cytochrome P450, 993
inhibition, 993
Rhinacanthus nasutus, 993
Anopheles sinensis,
allele-specific PCR, 1012
knockdown resistance, 1012
primer-introduced multiple PCR, 1012
primer-introduced restriction analysis PCR, 1012
anthropophily,
blood-feeding source, 952
hematophagy, 952
antibacterial,
antifungal, 1137
antileishmanial, 1137
Lucilia sericata, 1137
maggot therapy, 1137
antibody, 436, 895
Culex, 895
prevalence, 436
recrudescence, 895
small mammal, 436
TBEV, 436
vector competence, 895
West Nile virus, 895
antifungal,
antibacterial, 1137
antileishmanial, 1137
Lucilia sericata, 1137
maggot therapy, 1137
antileishmanial,
antibacterial, 1137
antifungal, 1137
Lucilia sericata, 1137
maggot therapy, 1137

Arachnida,
brown widow, 947
invasive species, 947
Latrodectus, 947
urban entomology, 947
arbovirus, 731, 746
alphavirus, 731
eastern, 731
Eastern Equine Encephalitis virus, 746
encephalitis, 731
equine, 731
GIS, 746
habitat, 746
transmission, 746
arbovirus vector, 522, 1092
Culex erraticus, 522, 1092
ecology, 1092
host preference, 1092
population genetic, 522
area-wide control,
mosquito mass rearing technology, 595
Sterile Insect Technique (SIT), 595
Argentina,
flea, 1276
mite, 1276
Sigmodontinae, 1276
tick, 1276
Armigeres subalbatus,
AsPGRP, 656
immune response, 656
mosquito, 656
peptidoglycan recognition protein, 656
artificial container,
Aedes aegypti, 1244
Aedes (*Ochlerotatus*) *epactius*, 1244
climate, 1244
elevation, 1244
artificial diet,
Cochliomyia hominivorax, 293
egg production, 293
spent diet, 293
artificial mixture,
Geranium maculatum, 332
geranium oil, 332
head lice, 332
synergism, 332
(-)-asarinin,
(-)-asarinin, 107
binary mixture, 107
Culex pipiens pallens, 107
pellitorine, 107
synergy, 107
Ascogregarina taiwanensis,
mosquito, 1109
Ochlerotatus japonicus, 1109
parasite, 1109
Asian tiger mosquito,
chikungunya, 71
container, 71
dengue, 71
AsPGRP,
Armigeres subalbatus, 656
immune response, 656
mosquito, 656
peptidoglycan recognition protein, 656
Athens,
Aedes albopictus, 262
Greece, 262
ovitrap, 262
seasonal oviposition activity, 262
Atlanta,
combined sewage overflow, 1328
Culex quinquefasciatus, 1328
habitat selection, 1328
linear mixed effects model, 1328
Australia,
Culex annulirostris, 371
host feeding pattern, 371
Japanese encephalitis virus, 371
pig, 371
Australian cattle tick,
redescription, 794
reinstatement, 794
Rhipicephalus (*Boophilus*) *australis*, 794
autodissemination,
house fly, 606
Musca domestica, 606
pyriproxyfen, 606
avermectin,
Anopheles arabiensis, 326
cattle, 326
malaria vector control, 326
milbemycin, 326
avian,
Culex, 687
cytochrome b gene, 687
host preference, 687
avian host,
Culex erraticus, 378
Culiseta melanura, 378
forage ratio, 378
Azadirachta indica,
bottom-up, 1361
integrated pest management (IPM), 1361
larvicide, 1361
Mali, 1361

B

babesiosis, cattle,
babesiosis, cattle
giant reed, 410
non-native, 410
Rio Grande, 410
bacteria, 482, 1481
Aedes, 482
cockroach, 1481
container, 482
Culex, 482
Enterobacteriaceae, 1481
food-related environment, 1481
protozoan, 482
public health, 1481
bacteriophage WO,
bloodmeal analysis, 474
Culex pipiens, 474
genetic substructuring, 474
Wolbachia, 474
bait station,
Culex tarsalis, 1466
sugar feeding, 1466
surveillance, 1466
West Nile virus, 1466
barrier,
Aedes vigilax, 1021
bifenthrin, 1021
bioassay, 1021
Culex annulirostis, 1021
bed bug, 535, 922
454 pyrosequencing, 535
disease transmission, 922
inbreeding, 535
medical importance, 922
microsatellite, 535
population genetic structure, 535
Rickettsia parkeri, 922
vector competence, 922
beef,
dairy, 198
grazing cattle, 198
production loss, 198
Stomoxys, 198
behavior,
biting activity, 1283
host attractancy, 1283
mosquito population, 1283
trap, 1283
behavior response,
color vision, 94
electroretinogram, 94
house fly, 94
light tunnel assay, 94
belowground,
manhole cover, 343
mosquito, 343
newly emerged, 343
stormwater, 343

benzoylphenyl urea,
Haematobia irritans, 647
Musca domestica, 647
Stomoxys calcitrans, 647
BGS trap,
mini-mark-release-recapture, 29
population size, 29
bifenthrin,
Aedes vigilax, 1021
barrier, 1021
bioassay, 1021
Culex annulirostis, 1021
binary mixture,
(-)-asarinin, 107
Culex pipiens pallens, 107
pellitorine, 107
synergy, 107
bioassay,
Aedes vigilax, 1021
barrier, 1021
bifenthrin, 1021
Culex annulirostis, 1021
biological control,
dairy, 1059
Musca domestica, 1059
Pteromalidae, 1059
sentinel pupae, 1059
biomarker,
Phlebotomus papatasi, 227
rubidium, 227
sand fly, 227
self-marking, 227
biopesticide,
Ixodes scapularis, 1035
Metarhizium, 1035
nootkatone, 1035
tick control, 1035
biosludge,
Musca domestica, 286
Stomoxys calcitrans, 286
wastewater treatment facility, 286
bird louse fly,
Hippoboscidae, 231
Ornithoica, 231
Republic of Korea, 231
biting activity,
behavior, 1283
host attractancy, 1283
mosquito population, 1283
trap, 1283
biting deterrence,
Aedes aegypti, 1370
fatty acid, 1370
repellent, 1370
structure-activity relationship, 1370
biting midge,
Leishmania transmission, 967
vector competence, 967
black fly, 803, 1198
Langkawi Island, 1198
Malaysia, 803, 1198
new species, 803, 1198
Simulium, 803, 1198
Blattella germanica, 122, 631
botanical insecticide, 631
Cyperus rotundus, 631
enhanced metabolism, 122
fipronil resistance, 122
German cockroach, 122
insecticide resistance, 631
structure-activity relationship, 631
target-site insensitivity, 122
blood feeding behavior,
Alphavirus, 418
dissemination, 418
engorgement, 418
interrupted feeding, 418
blood-feeding source,
anthropophily, 952
hematophagy, 952
bloodfeeding,
Culex, 143
mosquito collection, 143
sampling bias, 143
bloodmeal, 903, 1424
Aedes albopictus, 1424
Aedes triseriatus, 1424
Culex pipiens, 903
Culex tarsalis, 903
host diversity, 903
host identification, 903
La Crosse virus, 1424
refeeding, 1424
bloodmeal analysis, 474, 697
Amblyomma, 697
bacteriophage WO, 474
Culex pipiens, 474
genetic substructuring, 474
host DNA determination, 697
Ixodes, 697
tick, 697
Wolbachia, 474
bloodmeal identification, 515, 1442
cutoff, 1442
cytochrome *b* PCR, 515
flea, 1442
host, 515
real-time PCR, 1442
sand fly, 515
threshold cycle, 1442
visceral leishmaniasis, 515
bluetongue,
flight, 757
meteorology, 757
vector, 757
Borrelia,
Amblyomma, 772
Ehrlichia, 772
Sciuridae, 772
tick, 772
Borrelia burgdorferi, 11, 1473
disease ecology, 11
Ixodes scapularis, 1473
Lyme disease, 11, 1473
Odocoileus virginianus, 1473
prevention, 11
Tennessee, 1473
vector-borne disease, 11
Borrelia burgdorferi sensu lato,
Anaplasma phagocytophilum, 766
Ixodes, 766
quantitative real time PCR, 766
Rickettsia, 766
botanical insecticide, 631, 1084
acetylcholinesterase inhibition, 1084
Blattella germanica, 631
Cyperus rotundus, 631
insecticide resistance, 631
Stomoxys calcitrans, 1084
structure-activity relationship, 631
Zanthoxylum armatum, 1084
Zanthoxylum piperitum, 1084
bottom-up,
Azadirachta indica, 1361
integrated pest management (IPM), 1361
larvicide, 1361
Mali, 1361
Brazil, 223, 1510
Amblyomma, 1510
Culicidae, 223
Rickettsia, 1510
Rio de Janeiro, 1510
sylvatic yellow fever, 223
tick, 1510
vector, 223
brown widow,
Arachnida, 947
invasive species, 947
Latrodectus, 947
urban entomology, 947
Buchnera,
community assembly, 492
microbial biogeography, 492
pyrosequencing, 492
symbiosis, 492

C

California,
Culex pipiens, 299
Culex quinquefasciatus, 299
single nucleotide polymorphism, 299
Calliphoridae,
flow cytometry, 192
forensic entomology, 192
genome size, 192
Muscidae, 192
Canadian prairies,
environmental variable, 1144
generalized linear mixed model, 1144
geographic information system, 1144
West Nile virus, 1144
carbon dioxide,
Cimex lectularius, 1076
control, 1076
fumigation, 1076
carrion-arthropod succession,
experimental design, 1
forensic entomology, 1
inferential statistics, 1
pseudoreplication, 1
carvacrol,
EcoSMART, 101
nootkatone, 101
permethrin, 101
repellent testing, 101
catch basin,
Culex pipiens L., 270
Culex restuans Theobald, 270
oviposition site, 270
precipitation, 270
cattle,
Anopheles arabiensis, 326
avermectin, 326
malaria vector control, 326
milbemycin, 326
cattle fever tick,
Acari, 555
acaricide resistance, 555
AChE, 555
Ixodidae, 555
cell adhesion molecule,
cytokine, 1411
endothelial cell, 1411
endotoxin, 1411
stored product mite, 1411
Chagas disease, 563, 1254, 1379
allergy, 1254
dispersal, 1254
pyrethroid resistance, 1379
reinfestation, 1379
salivary gland, 563
sialome, 563
transcriptome, 563
Triatoma infestans, 1379
triatomine, 1254
United States, 1254
vector biology, 563
vector control, 1379
Chagas disease vector,
insecticide resistance, 1355
toxicological profile, 1355
Triatoma infestans, 1355
Chicago,
Culex restuans, 678
vector competence, 678
WNV, 678
Chicago metropolitan area,
Ixodes scapularis, 955
Lyme disease, 955
tick, 955
chigger,
developmental biology, 1270
Leptotrombidium chiangraiensis, 1270
Leptotrombidium imphalum, 1270
Orientia tsutsugamushi, 1270
chikungunya,
Asian tiger mosquito, 71
container, 71
dengue, 71
chikungunya virus,
Aedes albopictus, 388
Epidemic risk threshold, 388
Ovitrap monitoring, 388
Pupal Demographic Survey, 388
Chile,
Amblyomma maculatum, 219
Amblyomma triste, 219
Rickettsia andeanae, 219
Chrysomya megacephala,
Chrysomya rufifacies, 424
forensic entomology, 424
oviposition preference, 424
visual cue, 424
Chrysomya rufifacies,
Chrysomya megacephala, 424
forensic entomology, 424
oviposition preference, 424
visual cue, 424
Cimex lectularius, 865, 1076
carbon dioxide, 1076
control, 1076
fumigation, 1076
gene flow, 865
introduced species, 865
microsatellite, 865
population genetics, 865
circadian clock,
Aedes albopictus, 777
period, 777
timeless, 777
citronella oil,
Fixolide, 672
Glucam P-20, 672
mosquito repellent, 672
Vanillin, 672
classification,
geometric morphometrics, 927
larval competition, 927
vector competence, 927
climate, 1226, 1244
Aedes aegypti, 1244
Aedes koreicus, 1226
Aedes (*Ochlerotatus*) *epactius*, 1244
artificial container, 1244
elevation, 1244
establishment, 1226
exotic species, 1226
population dynamics, 1226
CO_2,
1-octen-3-ol, 112
Culicoides, 112
enantiomer, 112
semiochemical, 112
Cochliomyia hominivorax,
artificial diet, 293
egg production, 293
spent diet, 293
Cochliomyia,
insect mating, 1495
livestock pest, 1495
myiasis, 1495
cockroach,
bacteria, 1481
Enterobacteriaceae, 1481
food-related environment, 1481
public health, 1481
cohabitation,
Ctenophthalmus calceatus, 1453
Dinopsyllus lypusus, 1453
epidemiological indices, 1453
periurban habitats, 1453
cold storage,
Culex pipiens, 1347
fecundity, 1347
northern house mosquito, 1347
color vision,
behavior response, 94
electroretinogram, 94
house fly, 94
light tunnel assay, 94
combined sewage overflow,
Atlanta, 1328
Culex quinquefasciatus, 1328
habitat selection, 1328
linear mixed effects model, 1328

community assembly,
Buchnera, 492
microbial biogeography, 492
pyrosequencing, 492
symbiosis, 492
container, 71, 482
Aedes, 482
Asian tiger mosquito, 71
bacteria, 482
chikungunya, 71
Culex, 482
dengue, 71
protozoan, 482
container-inhabiting, 813, 1318
interspecific interaction, 1318
invasive, 1318
larval survey, 813
larval-pupal productivity, 813
mosquito, 1318
New Jersey, 813
continentality,
Aedes albopictus, 1233
Culicidae, 1233
northern limit, 1233
temperature, 1233
control, 1076, 1159
carbon dioxide, 1076
Cimex lectularius, 1076
fumigation, 1076
Leishmania (*Viannia*), 1159
leishmaniasis, 1159
Lutzomyia, 1159
sand fly, 1159
Copidapha,
morphology, 1206
Pangoniinae, 1206
Scionini, 1206
taxonomy, 1206
crop,
digestive tract, 150
enterococci, 150
Musca domestica, 150
proliferation, 150
cross-correlation map,
Aedes vexans, 851
Culex pipiens, 851
Culex restuans, 851
West Nile virus, 851
cross-resistance,
Aedes aegypti, 356
ivermectin, 356
permethrin, 356
Croton roxburghii,
essential oil, 1398
Hyptis suaveolens, 1398
Litsea cubeba, 1398
mosquito repellent, 1398
Cry toxin,
dominance, 886
genetics, 886
mosquito, 886
resistance, 886
Ctenocephalides felis,
flea, 210
flea trap, 210
plague, 210
Xenopsylla cheopis, 210
Ctenophthalmus calceatus,
cohabitation, 1453
Dinopsyllus lypusus, 1453
epidemiological indices, 1453
periurban habitats, 1453
Culex, 132, 143, 482, 687, 895, 1430
Aedes, 482
antibody, 895
avian, 687
bacteria, 482
bloodfeeding, 143
container, 482
cytochrome b gene, 687
host preference, 687
microfilariae, 1430
microfilarial enhancement of arboviral transmission, 1430
mosquito, 1430
mosquito collection, 143
protozoan, 482
recrudescence, 895
sampling bias, 143
vector competence, 132, 895
West Nile virus, 895, 1430
West Nile virus transmission, 132
Culex annulirostis,
Aedes vigilax, 1021
barrier, 1021
bifenthrin, 1021
bioassay, 1021
Culex annulirostris,
Australia, 371
host feeding pattern, 371
Japanese encephalitis virus, 371
pig, 371
Culex erraticus, 378, 522, 1092
arbovirus vector, 522, 1092
avian host, 378
Culiseta melanura, 378
ecology, 1092
forage ratio, 378
host preference, 1092
population genetic, 522
Culex flavivirus,
Culex quinquefasciatus, 165
insect-only flavivirus, 165
West Nile virus, 165
Culex mosquito,
mark-capture, 61
mosquito dispersal, 61
stable isotope, 61
Culex nigripalpus,
St. Louis encephalitis virus, 1502
vector competence, 1502
Culex pipiens, 35, 215, 299, 467, 474, 717, 851, 903, 1103, 1347
Aedes vexans, 851
bacteriophage WO, 474
bloodmeal, 903
bloodmeal analysis, 474
California, 299
cold storage, 1347
cross-correlation map, 851
Culex quinquefasciatus, 299
Culex restuans, 35, 851
Culex salinarius, 35
Culex tarsalis, 903
dispersal, 35, 467
fecundity, 1347
gene silencing, 215
genetic substructuring, 474
heat shock protein, 215
host diversity, 903
host identification, 903
mark-recapture, 35
mosquito, 467, 1103
mosquito bloodmeal identification, 717
northern house mosquito, 1347
PCR inhibitor, 1103
RNA-interference, 215
single nucleotide polymorphism, 299
survival, 467
*w*Pip1, 1103
West Nile virus, 467, 717, 851
Wolbachia, 474, 1103
Culex pipiens L.,
catch basin, 270
Culex restuans Theobald, 270
oviposition site, 270
precipitation, 270
Culex pipiens pallens,
(-)-asarinin, 107
binary mixture, 107
pellitorine, 107
synergy, 107
Culex quinquefasciatus, 165, 299, 1118, 1328
Atlanta, 1328
California, 299
combined sewage overflow, 1328
Culex flavivirus, 165
Culex pipiens, 299
gravid trap, 1118
habitat selection, 1328
insect-only flavivirus, 165

linear mixed effects model, 1328
oviposition, 1118
oviposition trap, 1118
single nucleotide polymorphism, 299
volume, 1118
West Nile virus, 165
Culex restuans, 35, 678, 851
Aedes vexans, 851
Chicago, 678
cross-correlation map, 851
Culex pipiens, 35, 851
Culex salinarius, 35
dispersal, 35
mark-recapture, 35
vector competence, 678
West Nile virus, 851
WNV, 678
Culex restuans Theobald,
catch basin, 270
Culex pipiens L., 270
oviposition site, 270
precipitation, 270
Culex salinarius,
Culex pipiens, 35
Culex restuans, 35
dispersal, 35
mark-recapture, 35
Culex tarsalis, 903, 1466
bait station, 1466
bloodmeal, 903
Culex pipiens, 903
host diversity, 903
host identification, 903
sugar feeding, 1466
surveillance, 1466
West Nile virus, 1466
Culex theileri,
genetic polymorphism, 581
single nucleotide polymorphism, 581
Culicidae, 223, 1233
Aedes albopictus, 1233
Brazil, 223
continentality, 1233
northern limit, 1233
sylvatic yellow fever, 223
temperature, 1233
vector, 223
Culicoides,
1-octen-3-ol, 112
CO_2, 112
enantiomer, 112
semiochemical, 112
Culiseta melanura,
avian host, 378
Culex erraticus, 378
forage ratio, 378
curcumin analog,
mosquitocide, 350
natural product, 350
sterol carrier protein-2, 350
cutoff,
bloodmeal identification, 1442
flea, 1442
real-time PCR, 1442
threshold cycle, 1442
Cyperus rotundus,
Blattella germanica, 631
botanical insecticide, 631
insecticide resistance, 631
structure-activity relationship, 631
cytochrome b,
disease vector, 77
Lutzomyia verrucarum, 77
ND4, 77
Peru, 77
cytochrome b gene,
avian, 687
Culex, 687
host preference, 687
cytochrome *b* PCR,
bloodmeal identification, 515
host, 515
sand fly, 515
visceral leishmaniasis, 515
cytochrome P450,
Anopheles minimus, 993
inhibition, 993
Rhinacanthus nasutus, 993
cytokine,
cell adhesion molecule, 1411
endothelial cell, 1411
endotoxin, 1411
stored product mite, 1411

D

dairy, 198, 1059
beef, 198
biological control, 1059
grazing cattle, 198
Musca domestica, 1059
production loss, 198
Pteromalidae, 1059
sentinel pupae, 1059
Stomoxys, 198
daylength,
life history, 825
phenotypic plasticity, 825
survival, 825
dengue, 71, 722, 917, 1163
Aedes aegypti, 722, 917, 1163
Aedes albopictus, 1163
Aedes mediovittatus, 917
Akaike's Information Criterion, 722
Asian tiger mosquito, 71
chikungunya, 71
container, 71
tire, 1163
United States, 1163
vector, 917
vector control, 722
vertebrate host, 917
dengue virus,
Aedes, 942
Florida, 942
vector competence, 942
density dependence,
exotic mosquito, 277
invasion biology, 277
Dermacentor,
endosymbiont, 843
Ixodes, 843
polymerase chain reaction/electrospray ionization-mass spectrometry, 843
tick, 843
Dermacentor andersoni,
dispersion, 253
negative binomial, 253
sampling, 253
Dermacentor reticulatus,
diurnal activity, 859
host-seeking activity, 859
questing behavior, 859
dermatitis linearis,
insecticide resistance, 451
population dynamics, 451
rove beetle, 451
two-sex life table, 451
development,
Anopheles gambiae, 316
gene expression, 316
microarray, 316
developmental biology,
chigger, 1270
Leptotrombidium chiangraiensis, 1270
Leptotrombidium imphalum, 1270
Orientia tsutsugamushi, 1270
digestive tract,
crop, 150
enterococci, 150
Musca domestica, 150
proliferation, 150
dimeticones,
human head louse, 336
Nix, 336
NYDA, 336
ovicide, 336
Dinopsyllus lypusus,
cohabitation, 1453
Ctenophthalmus calceatus, 1453
epidemiological indices, 1453
periurban habitats, 1453

Dirofilariasis,
dog, 1419
host-parasite interaction, 1419
human, 1419
mosquito, 1419
disease ecology,
Borrelia burgdorferi, 11
Lyme disease, 11
prevention, 11
vector-borne disease, 11
disease transmission,
bed bug, 922
medical importance, 922
Rickettsia parkeri, 922
vector competence, 922
disease vector,
cytochrome b, 77
Lutzomyia verrucarum, 77
ND4, 77
Peru, 77
dispersal, 35, 467, 1254
allergy, 1254
Chagas disease, 1254
Culex pipiens, 35, 467
Culex restuans, 35
Culex salinarius, 35
mark-recapture, 35
mosquito, 467
survival, 467
triatomine, 1254
United States, 1254
West Nile virus, 467
dispersion,
Dermacentor andersoni, 253
negative binomial, 253
sampling, 253
dissemination,
Alphavirus, 418
blood feeding behavior, 418
engorgement, 418
interrupted feeding, 418
diurnal activity,
Dermacentor reticulatus, 859
host-seeking activity, 859
questing behavior, 859
DNA extraction,
Aedes aegypti, 85
individual behavior, 85
microsatellite genotyping, 85
oviposition, 85
dog,
Dirofilariasis, 1419
host-parasite interaction, 1419
human, 1419
mosquito, 1419
dominance,
Cry toxin, 886
genetics, 886
mosquito, 886
resistance, 886

E

eastern,
alphavirus, 731
arbovirus, 731
encephalitis, 731
equine, 731
Eastern Equine Encephalitis virus,
arbovirus, 746
GIS, 746
habitat, 746
transmission, 746
ecology,
arbovirus vector, 1092
Culex erraticus, 1092
host preference, 1092
EcoSMART,
carvacrol, 101
nootkatone, 101
permethrin, 101
repellent testing, 101
egg production,
artificial diet, 293
Cochliomyia hominivorax, 293
spent diet, 293
Ehrlichia,
Amblyomma, 772
Borrelia, 772
Sciuridae, 772
tick, 772
Ehrlichia chaffeensis,
Amblyomma americanum, 547
PCR, 547
qRT-PCR, 547
salivary gland, 547
electroretinogram,
behavior response, 94
color vision, 94
house fly, 94
light tunnel assay, 94
elevation,
Aedes aegypti, 1244
Aedes (*Ochlerotatus*) *epactius*, 1244
artificial container, 1244
climate, 1244
enantiomer,
1-octen-3-ol, 112
CO_2, 112
Culicoides, 112
semiochemical, 112
encephalitis,
alphavirus, 731
arbovirus, 731
eastern, 731
equine, 731
endemic area,
Ixodes scapularis, 400
Lyme disease, 400
endosymbiont,
Dermacentor, 843
Ixodes, 843
polymerase chain reaction/electrospray ionization-mass spectrometry, 843
tick, 843
endothelial cell,
cell adhesion molecule, 1411
cytokine, 1411
endotoxin, 1411
stored product mite, 1411
endotoxin,
cell adhesion molecule, 1411
cytokine, 1411
endothelial cell, 1411
stored product mite, 1411
engorgement,
Alphavirus, 418
blood feeding behavior, 418
dissemination, 418
interrupted feeding, 418
enhanced metabolism,
Blattella germanica, 122
fipronil resistance, 122
German cockroach, 122
target-site insensitivity, 122
Enterobacteriaceae,
bacteria, 1481
cockroach, 1481
food-related environment, 1481
public health, 1481
enterococci,
crop, 150
digestive tract, 150
Musca domestica, 150
proliferation, 150
entomological surveillance,
Flavivirus, 175
Hokkaido, 175
host-feeding patter, 175
West Nile virus, 175
environmental change,
Anopheles labranchiae, 833
Italy, 833
malaria, 833
environmental condition,
genetic variability, 497
population dynamics, 497
tick activity, 497
environmental variable,
Canadian prairies, 1144
generalized linear mixed model, 1144
geographic information system, 1144
West Nile virus, 1144

Epidemic risk threshold,
Aedes albopictus, 388
chikungunya virus, 388
Ovitrap monitoring, 388
Pupal Demographic Survey, 388
epidemiological indices,
cohabitation, 1453
Ctenophthalmus calceatus, 1453
Dinopsyllus lypusus, 1453
periurban habitats, 1453
equine,
alphavirus, 731
arbovirus, 731
eastern, 731
encephalitis, 731
eradication,
Aedes albopictus, 640
larval habitat, 640
mosquito, 640
ovitrap, 640
essential oil, 614, 1067, 1398
Ae. Aegypti, 614
Croton roxburghii, 1398
esterase, 614
ethoxyresorufin *O*-deethylase, 614
GC-MS, 1067
glutathione S-transferase, 614
Hyptis suaveolens, 1398
Ixodes ricinus, 1067
Litsea cubeba, 1398
medicinal plant, 1067
mosquito repellent, 1398
establishment,
Aedes koreicus, 1226
climate, 1226
exotic species, 1226
population dynamics, 1226
esterase,
Ae. Aegypti, 614
essential oil, 614
ethoxyresorufin *O*-deethylase, 614
glutathione S-transferase, 614
ethoxyresorufin *O*-deethylase,
Ae. Aegypti, 614
essential oil, 614
esterase, 614
glutathione S-transferase, 614
Evandromyia,
Minas Gerais state, 445
Phlebotominae, 445
rupicola series, 445
exotic mosquito,
density dependence, 277
invasion biology, 277
exotic species,
Aedes koreicus, 1226
climate, 1226
establishment, 1226
population dynamics, 1226
experimental design, 1, 1177
Aedes aegypti, 1177
carrion-arthropod succession, 1
field cage experiment, 1177
forensic entomology, 1
inferential statistics, 1
mathematical model, 1177
pseudoreplication, 1
transgenic female-killing, 1177

F

fatty acid, 1001, 1370
Aedes aegypti, 1370
biting deterrence, 1370
insect control, 1001
mass rearing, 1001
repellent, 1370
sterile insect technique, 1001
structure-activity relationship, 1370
fecundity, 461, 1347
American white pelican, 461
cold storage, 1347
Culex pipiens, 1347
northern house mosquito, 1347
reproductive potential, 461
Stomoxys calcitrans, 461
field cage experiment,
Aedes aegypti, 1177
experimental design, 1177
mathematical model, 1177
transgenic female-killing, 1177
filariasis vector,
adult size variation, 51
Aedes polynesiensis population dynamic, 51
seasonality, 51
trap sampling, 51
fipronil resistance,
Blattella germanica, 122
enhanced metabolism, 122
German cockroach, 122
target-site insensitivity, 122
fitness, 624, 1045
Aedes aegypti, 624
genetic sexing strain, 1045
life history, 1045
predation, 624
sterile insect technique, 1045
transfer, 624
Wolbachia, 624
Fixolide,
citronella oil, 672
Glucam P-20, 672
mosquito repellent, 672
Vanillin, 672
Flavivirus,
entomological surveillance, 175
Hokkaido, 175
host-feeding patter, 175
West Nile virus, 175
flea, 210, 1027, 1276, 1442, 1485
Argentina, 1276
bloodmeal identification, 1442
Ctenocephalides felis, 210
cutoff, 1442
flea trap, 210
flea-borne rickettsiosis, 1485
indoor residual spray, 1027
lambda-cyhalothrin, 1027
mite, 1276
opossum, 1485
plague, 210, 1027
Rattus rattus, 1027
real-time PCR, 1442
Rickettsia felis, 1485
Rickettsia typhi, 1485
Sigmodontinae, 1276
threshold cycle, 1442
tick, 1276
Xenopsylla cheopis, 210
flea-borne rickettsiosis,
flea, 1485
opossum, 1485
Rickettsia felis, 1485
Rickettsia typhi, 1485
flea gene expression,
reactive oxygen species, 364
Xenopsylla cheopis, 364
Yersinia pestis transmission, 364
flea trap,
Ctenocephalides felis, 210
flea, 210
plague, 210
Xenopsylla cheopis, 210
flight,
bluetongue, 757
meteorology, 757
vector, 757
Florida,
Aedes, 942
dengue virus, 942
vector competence, 942
flow cytometry,
Calliphoridae, 192
forensic entomology, 192
genome size, 192
Muscidae, 192
food-related environment,
bacteria, 1481
cockroach, 1481
Enterobacteriaceae, 1481
public health, 1481

forage ratio,
avian host, 378
Culex erraticus, 378
Culiseta melanura, 378
forensic entomology, 1, 192, 424
Calliphoridae, 192
carrion-arthropod succession, 1
Chrysomya megacephala, 424
Chrysomya rufifacies, 424
experimental design, 1
flow cytometry, 192
genome size, 192
inferential statistics, 1
Muscidae, 192
oviposition preference, 424
pseudoreplication, 1
visual cue, 424
formamidine,
Aedes aegypti, 1405
neonicotinoid, 1405
pyrethroid, 1405
synergistic action, 1405
French Polynesia,
Lincoln-Petersen Index, 971
mark-release-recapture, 971
mosquito vector population, 971
fumigation,
carbon dioxide, 1076
Cimex lectularius, 1076
control, 1076

G

GC-MS,
essential oil, 1067
Ixodes ricinus, 1067
medicinal plant, 1067
gene expression,
Anopheles gambiae, 316
development, 316
microarray, 316
gene flow,
Cimex lectularius, 865
introduced species, 865
microsatellite, 865
population genetics, 865
gene silencing,
Culex pipiens, 215
heat shock protein, 215
RNA-interference, 215
generalized linear mixed model,
Canadian prairies, 1144
environmental variable, 1144
geographic information system, 1144
West Nile virus, 1144
genetic,
Cry toxin, 886
dominance, 886
mosquito, 886
resistance, 886
genetic polymorphism,
Culex theileri, 581
single nucleotide polymorphism, 581
genetic sexing strain,
fitness, 1045
life history, 1045
sterile insect technique, 1045
genetic substructuring,
bacteriophage WO, 474
bloodmeal analysis, 474
Culex pipiens, 474
Wolbachia, 474
genetic variability,
environmental condition, 497
population dynamics, 497
tick activity, 497
genome size,
Calliphoridae, 192
flow cytometry, 192
forensic entomology, 192
Muscidae, 192
geographic information system,
Canadian prairies, 1144
environmental variable, 1144
generalized linear mixed model, 1144
West Nile virus, 1144
geometric morphometrics,
classification, 927
larval competition, 927
vector competence, 927
geometric morphometry,
population structure, 504
reinfestation, 504
Triatoma infestans, 504
vector control, 504
Geranium maculatum,
artificial mixture, 332
geranium oil, 332
head lice, 332
synergism, 332
geranium oil,
artificial mixture, 332
Geranium maculatum, 332
head lice, 332
synergism, 332
German cockroach,
Blattella germanica, 122
enhanced metabolism, 122
fipronil resistance, 122
target-site insensitivity, 122
giant reed,
babesiosis, cattle
non-native, 410
Rio Grande, 410
GIS, 739, 746
arbovirus, 746
Eastern Equine Encephalitis virus, 746
habitat, 746
Leishmania, 739
Libya, 739
MaxEnt, 739
Phlebotomus, 739
transmission, 746
global warming,
Anopheles funestus, 1154
survival, 1154
temperature, 1154
wing-length, 1154
Glucam P-20,
citronella oil, 672
Fixolide, 672
mosquito repellent, 672
Vanillin, 672
glutathione S-transferase,
Ae. Aegypti, 614
essential oil, 614
esterase, 614
ethoxyresorufin *O*-deethylase, 614
gravid trap,
Culex quinquefasciatus, 1118
oviposition, 1118
oviposition trap, 1118
volume, 1118
grazing cattle,
beef, 198
dairy, 198
production loss, 198
Stomoxys, 198
Greece,
Aedes albopictus, 262
Athens, 262
ovitrap, 262
seasonal oviposition activity, 262

H

habitat,
arbovirus, 746
Eastern Equine Encephalitis virus, 746
GIS, 746
transmission, 746
habitat selection,
Atlanta, 1328
combined sewage overflow, 1328
Culex quinquefasciatus, 1328
linear mixed effects model, 1328
Haematobia irritans, 589, 647
acetylcholinesterase, 589
benzoylphenyl urea, 647

horn fly, 589
Musca domestica, 647
organophosphate, 589
resistance, 589
Stomoxys calcitrans, 647
head lice,
artificial mixture, 332
Geranium maculatum, 332
geranium oil, 332
synergism, 332
heat shock,
larval aggregation, 1124
parasitoid, 1124
predator avoidance strategy, 1124
wasp development, 1124
heat shock protein,
Culex pipiens, 215
gene silencing, 215
RNA-interference, 215
hematophagy,
anthropophily, 952
blood-feeding source, 952
Hippoboscidae,
bird louse fly, 231
Ornithoica, 231
Republic of Korea, 231
Hokkaido,
entomological surveillance, 175
Flavivirus, 175
host-feeding patter, 175
West Nile virus, 175
horn fly,
acetylcholinesterase, 589
H. irritans, 589
organophosphate, 589
resistance, 589
host,
bloodmeal identification, 515
cytochrome *b* PCR, 515
sand fly, 515
visceral leishmaniasis, 515
host attractancy,
behavior, 1283
biting activity, 1283
mosquito population, 1283
trap, 1283
host diversity,
bloodmeal, 903
Culex pipiens, 903
Culex tarsalis, 903
host identification, 903
host DNA determination,
Amblyomma, 697
bloodmeal analysis, 697
Ixodes, 697
tick, 697
host feeding pattern, 175, 371
Australia, 371
Culex annulirostris, 371
entomological surveillance, 175
Flavivirus, 175
Hokkaido, 175
Japanese encephalitis virus, 371
pig, 371
West Nile virus, 175
host identification,
bloodmeal, 903
Culex pipiens, 903
Culex tarsalis, 903
host diversity, 903
host-parasite interaction,
Dirofilariasis, 1419
dog, 1419
human, 1419
mosquito, 1419
host preference, 687, 1092
arbovirus vector, 1092
avian, 687
Culex erraticus, 1092
Culex, 687
cytochrome b gene, 687
ecology, 1092
host-seeking activity,
Dermacentor reticulatus, 859
diurnal activity, 859
questing behavior, 859
house fly, 94, 606
autodissemination, 606
behavior response, 94
color vision, 94
electroretinogram, 94
light tunnel assay, 94
Musca domestica, 606
pyriproxyfen, 606
human,
Dirofilariasis, 1419
dog, 1419
host-parasite interaction, 1419
mosquito, 1419
human head louse,
dimeticones, 336
Nix, 336
NYDA, 336
ovicide, 336
hybridization,
ITS2 secondary structure, 1189
Orthopodomyia, 1189
ribosomal DNA, 1189
Hyptis suaveolens,
Croton roxburghii, 1398
essential oil, 1398
Litsea cubeba, 1398
mosquito repellent, 1398

I

immune response,
Armigeres subalbatus, 656
AsPGRP, 656
mosquito, 656
peptidoglycan recognition protein, 656
inbreeding,
454 pyrosequencing, 535
bed bug, 535
microsatellite, 535
population genetic structure, 535
India,
morphological and anatomical variation, 441
Phlebotomus (*Phlebotomus*) *papatasi*, 441
individual behavior,
Aedes aegypti, 85
DNA extraction, 85
microsatellite genotyping, 85
oviposition, 85
indoor residual spray,
flea, 1027
lambda-cyhalothrin, 1027
plague, 1027
Rattus rattus, 1027
inferential statistics,
carrion-arthropod succession, 1
experimental design, 1
forensic entomology, 1
pseudoreplication, 1
inhibition,
Anopheles minimus, 993
cytochrome P450, 993
Rhinacanthus nasutus, 993
insect control,
fatty acid, 1001
mass rearing, 1001
sterile insect technique, 1001
insect mating,
Cochliomyia, 1495
livestock pest, 1495
myiasis, 1495
insect-only flavivirus,
Culex flavivirus, 165
Culex quinquefasciatus, 165
West Nile virus, 165
insecticide resistance, 451, 631, 1355
Blattella germanica, 631
botanical insecticide, 631
Chagas disease vector, 1355
Cyperus rotundus, 631
dermatitis linearis, 451
population dynamics, 451
rove beetle, 451

structure-activity relationship, 631
toxicological profile, 1355
Triatoma infestans, 1355
two-sex life table, 451
insecticide-treated bed net,
malaria control, 1052
pyriproxyfen, 1052
resistance management, 1052
sterilizing effect, 1052
integrated pest management (IPM),
Azadirachta indica, 1361
bottom-up, 1361
integrated pest management (IPM), 1361
larvicide, 1361
Mali, 1361
interrupted feeding,
Alphavirus, 418
blood feeding behavior, 418
dissemination, 418
engorgement, 418
interspecific interaction,
container-inhabiting, 1318
invasive, 1318
mosquito, 1318
intraspecific competition,
Aedes albopictus, 988
pesticide, 988
population ecology, 988
introduced species,
Cimex lectularius, 865
gene flow, 865
microsatellite, 865
population genetics, 865
invasion biology,
density dependence, 277
exotic mosquito, 277
invasive,
container-inhabiting, 1318
interspecific interaction, 1318
mosquito, 1318
invasive species,
Arachnida, 947
brown widow, 947
Latrodectus, 947
urban entomology, 947
Italy,
Anopheles labranchiae, 833
environmental change, 833
malaria, 833
ITS2 secondary structure,
hybridization, 1189
Orthopodomyia, 1189
ribosomal DNA, 1189
ivermectin,
Aedes aegypti, 356
cross-resistance, 356
permethrin, 356
Ixodes, 697, 766, 843
Amblyomma, 697
Anaplasma phagocytophilum, 766
bloodmeal analysis, 697
Borrelia burgdorferi sensu lato, 766
Dermacentor, 843
endosymbiont, 843
host DNA determination, 697
polymerase chain reaction/electrospray ionization-mass spectrometry, 843
quantitative real time PCR, 766
Rickettsia, 766
tick, 697, 843
Ixodes ricinus, 156, 1067
essential oil, 1067
GC-MS, 1067
medicinal plant, 1067
phylogeny, 156
Switzerland, 156
tick-borne encephalitis virus, 156
Ixodes scapularis, 400, 955, 981, 1035, 1473
biopesticide, 1035
Borrelia burgdorferi, 1473
Chicago metropolitan area, 955
endemic area, 400
likelihood, 981
Lyme disease, 400, 955, 1473
Metarhizium, 1035
nootkatone, 1035
Odocoileus virginianus, 1473
overwintering, 981
survival, 981
Tennessee, 1473
tick, 955
tick control, 1035
Ixodidae,
Acari, 555
acaricide resistance, 555
AChE, 555
cattle fever tick, 555

J

Japanese encephalitis virus,
Australia, 371
Culex annulirostris, 371
host feeding pattern, 371
pig, 371

K

knockdown resistance,
allele-specific PCR, 1012
Anopheles sinensis, 1012
primer-introduced multiple PCR, 1012
primer-introduced restriction analysis PCR, 1012

L

La Crosse virus,
Aedes albopictus, 1424
Aedes triseriatus, 1424
bloodmeal, 1424
refeeding, 1424
lambda-cyhalothrin,
flea, 1027
indoor residual spray, 1027
plague, 1027
Rattus rattus, 1027
Langkawi Island,
black fly, 1198
Malaysia, 1198
new species, 1198
Simulium, 1198
larval aggregation,
heat shock, 1124
parasitoid, 1124
predator avoidance strategy, 1124
wasp development, 1124
larval competition,
classification, 927
geometric morphometrics, 927
vector competence, 927
larval habitat,
Aedes albopictus, 640
eradication, 640
mosquito, 640
ovitrap, 640
larval-pupal productivity,
container-inhabiting, 813
larval survey, 813
New Jersey, 813
larval survey,
container-inhabiting, 813
larval-pupal productivity, 813
New Jersey, 813
larvicide,
Azadirachta indica, 1361
bottom-up, 1361
integrated pest management (IPM), 1361
Mali, 1361
Latrodectus,
Arachnida, 947
brown widow, 947
invasive species, 947
urban entomology, 947
Leishmania,
GIS, 739
Libya, 739
MaxEnt, 739
Phlebotomus, 739
Leishmania transmission,
biting midge, 967
vector competence, 967

Leishmania (*Viannia*),
control, 1159
Leishmania (*Viannia*), 1159
leishmaniasis, 1159
Lutzomyia, 1159
sand fly, 1159
leishmaniasis, 1159, 1515
18S rRNA, 1515
control, 1159
Leishmania (*Viannia*), 1159
Lutzomyia, 1159
PCR, 1515
phlebotomine, 1515
restriction fragment-length polymorphism, 1515
sand fly, 1159
Leptotrombidium chiangraiensis,
chigger, 1270
developmental biology, 1270
Leptotrombidium imphalum, 1270
Orientia tsutsugamushi, 1270
Leptotrombidium imphalum,
chigger, 1270
developmental biology, 1270
Leptotrombidium chiangraiensis, 1270
Orientia tsutsugamushi, 1270
Libya,
GIS, 739
Leishmania, 739
MaxEnt, 739
Phlebotomus, 739
life history, 825, 1045
daylength, 825
fitness, 1045
genetic sexing strain, 1045
phenotypic plasticity, 825
sterile insect technique, 1045
survival, 825
light tunnel assay,
behavior response, 94
color vision, 94
electroretinogram, 94
house fly, 94
likelihood,
Ixodes scapularis, 981
overwintering, 981
survival, 981
Lincoln-Petersen Index,
French Polynesia, 971
mark-release-recapture, 971
mosquito vector population, 971
linear mixed effects model,
Atlanta, 1328
combined sewage overflow, 1328
Culex quinquefasciatus, 1328
habitat selection, 1328
Litsea cubeba,
Croton roxburghii, 1398
essential oil, 1398
Hyptis suaveolens, 1398
mosquito repellent, 1398
livestock pest,
Cochliomyia, 1495
insect mating, 1495
myiasis, 1495
llama decomposition,
Microcerella antofagastensis, 183
Microcerella quimaliensis, 183
pig decomposition, 183
Sarcophaginae, 183
Lucilia sericata,
antibacterial, 1137
antifungal, 1137
antileishmanial, 1137
maggot therapy, 1137
Lutzomyia,
control, 1159
Leishmania (*Viannia*), 1159
leishmaniasis, 1159
sand fly, 1159
Lutzomyia longipalpis,
Mato Grosso do Sul, 43
phlebotomine, 43
urban environment, 43
Lutzomyia shannoni,
Lutzomyia vexator, 1460
sand fly, 1460
Lutzomyia verrucarum,
cytochrome b, 77
disease vector, 77
ND4, 77
Peru, 77
Lutzomyia vexator,
Lutzomyia shannoni, 1460
sand fly, 1460
Lyme disease, 11, 400, 955, 1473
Borrelia burgdorferi, 11, 1473
Chicago metropolitan area, 955
disease ecology, 11
endemic area, 400
Ixodes scapularis, 400, 955, 1473
Odocoileus virginianus, 1473
prevention, 11
Tennessee, 1473
tick, 955
vector-borne disease, 11

M

maggot therapy,
antibacterial, 1137
antifungal, 1137
antileishmanial, 1137
Lucilia sericata, 1137
malaria,
Anopheles labranchiae, 833
environmental change, 833
Italy, 833
malaria control,
insecticide-treated bed net, 1052
pyriproxyfen, 1052
resistance management, 1052
sterilizing effect, 1052
malaria vector control,
Anopheles arabiensis, 326
avermectin, 326
cattle, 326
milbemycin, 326
Malaysia, 803, 1198
black fly, 803, 1198
Langkawi Island, 1198
new species, 803, 1198
Simulium, 803, 1198
Mali,
Azadirachta indica, 1361
bottom-up, 1361
integrated pest management (IPM), 1361
larvicide, 1361
manhole cover,
belowground, 343
mosquito, 343
newly emerged, 343
stormwater, 343
mark-capture,
Culex mosquito, 61
mark-capture, 61
mosquito dispersal, 61
stable isotope, 61
mark-recapture,
Culex pipiens, 35
Culex restuans, 35
Culex salinarius, 35
dispersal, 35
mark-release-recapture,
French Polynesia, 971
Lincoln-Petersen Index, 971
mosquito vector population, 971
mass rearing,
fatty acid, 1001
insect control, 1001
sterile insect technique, 1001
mathematical model,
Aedes aegypti, 1177
experimental design, 1177
field cage experiment, 1177
transgenic female-killing, 1177
Mato Grosso do Sul,
Lutzomyia longipalpis, 43
phlebotomine, 43
urban environment, 43

MaxEnt,
GIS, 739
Leishmania, 739
Libya, 739
Phlebotomus, 739
medical importance,
bed bug, 922
disease transmission, 922
Rickettsia parkeri, 922
vector competence, 922
medicinal plant,
essential oil, 1067
GC-MS, 1067
Ixodes ricinus, 1067
Metarhizium,
biopesticide, 1035
Ixodes scapularis, 1035
nootkatone, 1035
tick control, 1035
meteorology,
bluetongue, 757
flight, 757
vector, 757
metofluthrin,
Aedes albopictus, 652
Aedes taenirohynchus, 652
mosquito repellent, 652
personal protection, 652
microarray,
Anopheles gambiae, 316
development, 316
gene expression, 316
microbial biogeography,
Buchnera, 492
community assembly, 492
pyrosequencing, 492
symbiosis, 492
Microcerella antofagastensis,
llama decomposition, 183
Microcerella quimaliensis, 183
pig decomposition, 183
Sarcophaginae, 183
Microcerella quimaliensis,
llama decomposition, 183
Microcerella antofagastensis, 183
pig decomposition, 183
Sarcophaginae, 183
microfilariae,
Culex, 1430
microfilarial enhancement of arboviral transmission, 1430
mosquito, 1430
West Nile virus, 1430
microfilarial enhancement of arboviral transmission,
Culex, 1430
microfilariae, 1430
mosquito, 1430
West Nile virus, 1430
microsatellite, 535, 865
454 pyrosequencing, 535
bed bug, 535
Cimex lectularius, 865
gene flow, 865
inbreeding, 535
introduced species, 865
population genetic structure, 535
population genetics, 865
microsatellite genotyping,
Aedes aegypti, 85
DNA extraction, 85
individual behavior, 85
oviposition, 85
milbemycin,
Anopheles arabiensis, 326
avermectin, 326
cattle, 326
malaria vector control, 326
Minas Gerais state,
Evandromyia, 445
Phlebotominae, 445
rupicola series, 445
mini-mark-release-recapture,
BGS trap, 29
population size, 29
mite,
Argentina, 1276
flea, 1276
Sigmodontinae, 1276
tick, 1276
Morocco,
phlebovirus, 1507
RT Nested PCR, 1507
sand fly, 1507
Toscana virus, 1507
morph type,
Phlebotomus longicuspis, 787
Phlebotomus perniciosus, 787
Tunisia, 787
morphological and anatomical variation,
India, 441
Phlebotomus (*Phlebotomus*) *papatasi*, 441
morphology,
Copidapha, 1206
Pangoniinae, 1206
Scionini, 1206
taxonomy, 1206
mosquito, 343, 467, 640, 656, 876, 886, 1103, 1109, 1289, 1318, 1419, 1430
Aedes aegypti, 876
Aedes albopictus, 640
Armigeres subalbatus, 656
Ascogregarina taiwanensis, 1109
AsPGRP, 656
belowground, 343
container-inhabiting, 1318
Cry toxin, 886
Culex pipiens, 467, 1103
Culex, 1430
Dirofilariasis, 1419
dispersal, 467
dog, 1419
dominance, 886
eradication, 640
genetics, 886
host-parasite interaction, 1419
human, 1419
immune response, 656
interspecific interaction, 1318
invasive, 1318
larval habitat, 640
manhole cover, 343
microfilariae, 1430
microfilarial enhancement of arboviral transmission, 1430
Mweya, 1289
newly emerged, 343
Ochlerotatus japonicus, 1109
ovitrap, 640
parasite, 1109
PCR inhibitor, 1103
peptidoglycan recognition protein, 656
plant essential oil, 876
repellency, 876
resistance, 886
Sempaya, 1289
species composition, 1289
stormwater, 343
survival, 467
toxicity, 876
Uganda, 1289
*w*Pip1, 1103
West Nile virus, 467, 1430
Wolbachia, 1103
mosquito bloodmeal identification,
Culex pipiens, 717
West Nile virus, 717
mosquito collection,
bloodfeeding, 143
Culex, 143
sampling bias, 143
mosquito dispersal,
Culex mosquito, 61
mark–capture, 61
stable isotope, 61
mosquito mass rearing technology,
area-wide control, 595
Sterile Insect Technique (SIT), 595
mosquito pool,
mutation, 939
probe binding region, 939

qRT-PCR, 939
surveillance, 939
mosquito population,
behavior, 1283
biting activity, 1283
host attractancy, 1283
trap, 1283
mosquito repellent, 652, 672, 1398
Aedes albopictus, 652
Aedes taenirohynchus, 652
citronella oil, 672
Croton roxburghii, 1398
essential oil, 1398
Fixolide, 672
Glucam P-20, 672
Hyptis suaveolens, 1398
Litsea cubeba, 1398
metofluthrin, 652
personal protection, 652
Vanillin, 672
mosquito vector population,
French Polynesia, 971
Lincoln-Petersen Index, 971
mark-release-recapture, 971
mosquitocide,
curcumin analog, 350
natural product, 350
sterol carrier protein-2, 350
Musca domestica, 150, 286, 606, 647, 1059
autodissemination, 606
benzoylphenyl urea, 647
biological control, 1059
biosludge, 286
crop, 150
dairy, 1059
digestive tract, 150
enterococci, 150
Haematobia irritans, 647
house fly, 606
proliferation, 150
Pteromalidae, 1059
pyriproxyfen, 606
sentinel pupae, 1059
Stomoxys calcitrans, 286, 647
wastewater treatment facility, 286
Muscidae,
Calliphoridae, 192
flow cytometry, 192
forensic entomology, 192
genome size, 192
mutation,
mosquito pool, 939
probe binding region, 939
qRT-PCR, 939
surveillance, 939
Mweya,
mosquito, 1289
Sempaya, 1289
species composition, 1289
Uganda, 1289
myiasis,
Cochliomyia, 1495
insect mating, 1495
livestock pest, 1495

N

natural product,
curcumin analog, 350
mosquitocide, 350
sterol carrier protein-2, 350
ND4,
cytochrome b, 77
disease vector, 77
Lutzomyia verrucarum, 77
Peru, 77
negative binomial,
Dermacentor andersoni, 253
dispersion, 253
sampling, 253
neonicotinoid,
Aedes aegypti, 1405
formamidine, 1405
pyrethroid, 1405
synergistic action, 1405
neosome,
sand flea, 23
Siphonaptera, 23
Tunga bossii sp. nov., 23
Tungidae, 23
New Jersey,
container-inhabiting, 813
larval survey, 813
larval-pupal productivity, 813
new species, 803, 1198
black fly, 803, 1198
Langkawi Island, 1198
Malaysia, 803, 1198
Simulium, 803, 1198
newly emerged,
belowground, 343
manhole cover, 343
mosquito, 343
stormwater, 343
Nix,
dimeticones, 336
human head louse, 336
NYDA, 336
ovicide, 336
non-native,
babesiosis, cattle
giant reed, 410
Rio Grande, 410
nootkatone, 101, 1035
biopesticide, 1035
carvacrol, 101
EcoSMART, 101
Ixodes scapularis, 1035
Metarhizium, 1035
permethrin, 101
repellent testing, 101
tick control, 1035
northern house mosquito,
cold storage, 1347
Culex pipiens, 1347
fecundity, 1347
northern limit,
Aedes albopictus, 1233
continentality, 1233
Culicidae, 1233
temperature, 1233
Novel Room Test,
Aedes aegpyti, 1387
push and pull system, 1387
spatial repellent, 1387
Y- tube olfactometer, 1387
NYDA,
dimeticones, 336
human head louse, 336
Nix, 336
ovicide, 336
Nyssomyia antunesi,
Nyssomyia delsionatali n. sp., 238
Nyssomyia urbinattii n. sp.
Phlebotominae, 238
Psychodidae, 238
Nyssomyia delsionatali n. sp.,
Nyssomyia antunesi, 238
Nyssomyia urbinattii n. sp.
Phlebotominae, 238
Psychodidae, 238
Nyssomyia urbinattii n. sp.
Phlebotominae,
Nyssomyia antunesi, 238
Nyssomyia delsionatali n. sp., 238
Psychodidae, 238
Nzi trap,
ovarian age-grading, 1262
population, 1262
Stomoxys calcitrans, 1262

O

Ochlerotatus japonicus,
Ascogregarina taiwanensis, 1109
mosquito, 1109
parasite, 1109
1-octen-3-ol,
CO_2, 112
Culicoides, 112
enantiomer, 112
semiochemical, 112
Odocoileus virginianus,
Borrelia burgdorferi, 1473
Ixodes scapularis, 1473
Lyme disease, 1473
Tennessee, 1473

odorant-binding protein,
Aedes albopictus, 573
quantitative RT-polymerase chain reaction, 573
opossum,
flea, 1485
flea-borne rickettsiosis, 1485
Rickettsia felis, 1485
Rickettsia typhi, 1485
organophosphate,
acetylcholinesterase, 589
H. irritans, 589
horn fly, 589
resistance, 589
Orientia tsutsugamushi,
chigger, 1270
developmental biology, 1270
Leptotrombidium chiangraiensis, 1270
Leptotrombidium imphalum, 1270
Ornithoica,
bird louse fly, 231
Hippoboscidae, 231
Republic of Korea, 231
Orthopodomyia,
hybridization, 1189
ITS2 secondary structure, 1189
ribosomal DNA, 1189
ovarian age-grading,
Nzi trap, 1262
population, 1262
Stomoxys calcitrans, 1262
overwintering,
Ixodes scapularis, 981
likelihood, 981
survival, 981
ovicide,
dimeticones, 336
human head louse, 336
Nix, 336
NYDA, 336
oviposition, 85, 1118
Aedes aegypti, 85
Culex quinquefasciatus, 1118
DNA extraction, 85
gravid trap, 1118
individual behavior, 85
microsatellite genotyping, 85
oviposition trap, 1118
volume, 1118
oviposition preference,
Chrysomya megacephala, 424
Chrysomya rufifacies, 424
forensic entomology, 424
visual cue, 424
oviposition site,
catch basin, 270
Culex pipiens L., 270
Culex restuans Theobald, 270
precipitation, 270
oviposition trap,
Culex quinquefasciatus, 1118
gravid trap, 1118
oviposition, 1118
volume, 1118
ovitrap, 262, 640
Aedes albopictus, 262, 640
Athens, 262
eradication, 640
Greece, 262
larval habitat, 640
mosquito, 640
seasonal oviposition activity, 262
Ovitrap monitoring,
Aedes albopictus, 388
chikungunya virus, 388
Epidemic risk threshold, 388
Pupal Demographic Survey, 388

P

Pangoniinae,
Copidapha, 1206
morphology, 1206
Scionini, 1206
taxonomy, 1206
parasite,
Ascogregarina taiwanensis, 1109
mosquito, 1109
Ochlerotatus japonicus, 1109
parasitoid,
heat shock, 1124
larval aggregation, 1124
predator avoidance strategy, 1124
wasp development, 1124
PCR, 547, 1515
18S rRNA, 1515
Amblyomma americanum, 547
Ehrlichia chaffeensis, 547
leishmaniasis, 1515
phlebotomine, 1515
qRT-PCR, 547
restriction fragment-length polymorphism, 1515
salivary gland, 547
PCR inhibitor,
Culex pipiens, 1103
mosquito, 1103
*w*Pip1, 1103
Wolbachia, 1103
pellitorine,
(-)-asarinin, 107
binary mixture, 107
Culex pipiens pallens, 107
synergy, 107
peptidoglycan recognition protein,
Armigeres subalbatus, 656
AsPGRP, 656
immune response, 656
mosquito, 656
period,
Aedes albopictus, 777
circadian clock, 777
timeless, 777
periurban habitats,
cohabitation, 1453
Ctenophthalmus calceatus, 1453
Dinopsyllus lypusus, 1453
epidemiological indices, 1453
permethrin, 101, 356
Aedes aegypti, 356
carvacrol, 101
cross-resistance, 356
EcoSMART, 101
ivermectin, 356
nootkatone, 101
repellent testing, 101
personal protection,
Aedes albopictus, 652
Aedes taenirohynchus, 652
metofluthrin, 652
mosquito repellent, 652
Peru,
cytochrome b, 77
disease vector, 77
Lutzomyia verrucarum, 77
ND4, 77
pesticide,
Aedes albopictus, 988
intraspecific competition, 988
population ecology, 988
phenotypic plasticity,
daylength, 825
life history, 825
survival, 825
Phlebotominae,
Evandromyia, 445
Minas Gerais state, 445
rupicola series, 445
phlebotomine, 43, 1515
18S rRNA, 1515
leishmaniasis, 1515
Lutzomyia longipalpis, 43
Mato Grosso do Sul, 43
PCR, 1515
restriction fragment-length polymorphism, 1515
urban environment, 43
Phlebotomus,
GIS, 739
Leishmania, 739
Libya, 739
MaxEnt, 739

Phlebotomus longicuspis,
morph type, 787
Phlebotomus perniciosus, 787
Tunisia, 787
Phlebotomus papatasi,
biomarker, 227
rubidium, 227
sand fly, 227
self-marking, 227
Phlebotomus perniciosus,
morph type, 787
Phlebotomus longicuspis, 787
Tunisia, 787
Phlebotomus (*Phlebotomus*) *papatasi*,
India, 441
morphological and anatomical variation, 441
Phlebotomus (*Phlebotomus*) *papatasi*, 441
phlebovirus,
Morocco, 1507
RT Nested PCR, 1507
sand fly, 1507
Toscana virus, 1507
phylogenetic analysis,
Amblyomma tuberculatum, 783
SFG *Rickettsia*, 783
phylogeny,
Ixodes ricinus, 156
Switzerland, 156
tick-borne encephalitis virus, 156
pig,
Australia, 371
Culex annulirostris, 371
host feeding pattern, 371
Japanese encephalitis virus, 371
pig decomposition,
llama decomposition, 183
Microcerella antofagastensis, 183
Microcerella quimaliensis, 183
Sarcophaginae, 183
*w*Pip1,
Culex pipiens, 1103
mosquito, 1103
PCR inhibitor, 1103
Wolbachia, 1103
plague, 210, 1027
Ctenocephalides felis, 210
flea, 210, 1027
flea trap, 210
indoor residual spray, 1027
lambda-cyhalothrin, 1027
Rattus rattus, 1027
Xenopsylla cheopis, 210
plant essential oil,
Aedes aegypti, 876
mosquito, 876
repellency, 876
toxicity, 876
polymerase chain reaction/electrospray ionization-mass spectrometry,
Dermacentor, 843
endosymbiont, 843
Ixodes, 843
tick, 843
population,
Nzi trap, 1262
ovarian age-grading, 1262
Stomoxys calcitrans, 1262
population dynamics, 451, 497, 1226
Aedes koreicus, 1226
climate, 1226
dermatitis linearis, 451
environmental condition, 497
establishment, 1226
exotic species, 1226
genetic variability, 497
insecticide resistance, 451
rove beetle, 451
tick activity, 497
two-sex life table, 451
population ecology,
Aedes albopictus, 988
intraspecific competition, 988
pesticide, 988
population genetic, 522, 865
arbovirus vector, 522
Cimex lectularius, 865
Culex erraticus, 522
gene flow, 865
introduced species, 865
microsatellite, 865
population genetic structure,
454 pyrosequencing, 535
bed bug, 535
inbreeding, 535
microsatellite, 535
population size,
BGS trap, 29
mini-mark-release-recapture, 29
population structure,
geometric morphometry, 504
reinfestation, 504
Triatoma infestans, 504
vector control, 504
precipitation,
catch basin, 270
Culex pipiens L., 270
Culex restuans Theobald, 270
oviposition site, 270
predation,
Aedes aegypti, 624
fitness, 624
transfer, 624
Wolbachia, 624
predator avoidance strategy,
heat shock, 1124
larval aggregation, 1124
parasitoid, 1124
wasp development, 1124
prevalence,
antibody, 436
small mammal, 436
TBEV, 436
prevention,
Borrelia burgdorferi, 11
disease ecology, 11
Lyme disease, 11
vector-borne disease, 11
primer-introduced multiple PCR,
allele-specific PCR, 1012
Anopheles sinensis, 1012
knockdown resistance, 1012
primer-introduced restriction analysis PCR, 1012
primer-introduced restriction analysis PCR,
allele-specific PCR, 1012
Anopheles sinensis, 1012
knockdown resistance, 1012
primer-introduced multiple PCR, 1012
probe binding region,
mosquito pool, 939
mutation, 939
qRT-PCR, 939
surveillance, 939
production loss,
beef, 198
dairy, 198
grazing cattle, 198
Stomoxys, 198
proliferation,
crop, 150
digestive tract, 150
enterococci, 150
Musca domestica, 150
protozoan,
Aedes, 482
bacteria, 482
container, 482
Culex, 482
pseudoreplication,
carrion-arthropod succession, 1
experimental design, 1
forensic entomology, 1
inferential statistics, 1

Psychodidae,
Nyssomyia antunesi, 238
Nyssomyia delsionatali n. sp., 238
Nyssomyia urbinattii n. sp.
Phlebotominae, 238
Pteromalidae,
biological control, 1059
dairy, 1059
Musca domestica, 1059
sentinel pupae, 1059
public health,
bacteria, 1481
cockroach, 1481
Enterobacteriaceae, 1481
food-related environment, 1481
Pupal Demographic Survey,
Aedes albopictus, 388
chikungunya virus, 388
Epidemic risk threshold, 388
Ovitrap monitoring, 388
push and pull system,
Aedes aegpyti, 1387
Novel Room Test, 1387
spatial repellent, 1387
Y- tube olfactometer, 1387
pyrethroid,
Aedes aegypti, 1405
formamidine, 1405
neonicotinoid, 1405
synergistic action, 1405
pyrethroid resistance,
Chagas disease, 1379
reinfestation, 1379
Triatoma infestans, 1379
vector control, 1379
pyriproxyfen, 606, 1052
autodissemination, 606
house fly, 606
insecticide-treated bed net, 1052
malaria control, 1052
Musca domestica, 606
resistance management, 1052
sterilizing effect, 1052
pyrosequencing,
Buchnera, 492
community assembly, 492
microbial biogeography, 492
symbiosis, 492
454 pyrosequencing,
bed bug, 535
inbreeding, 535
microsatellite, 535
population genetic structure, 535

Q

qRT-PCR, 547, 939, 1339
Amblyomma americanum, 547
Amblyomma maculatum, 1339
Ehrlichia chaffeensis, 547
mosquito pool, 939
mutation, 939
PCR, 547
probe binding region, 939
reference genes, 1339
salivary gland, 547
surveillance, 939
quantitative real time PCR,
Anaplasma phagocytophilum, 766
Borrelia burgdorferi sensu lato, 766
Ixodes, 766
Rickettsia, 766
quantitative RT-polymerase chain reaction,
Aedes albopictus, 573
odorant-binding protein, 573
questing behavior,
Dermacentor reticulatus, 859
diurnal activity, 859
host-seeking activity, 859

R

Rattus rattus,
flea, 1027
indoor residual spray, 1027
lambda-cyhalothrin, 1027
plague, 1027
reactive oxygen species,
flea gene expression, 364
Xenopsylla cheopis, 364
Yersinia pestis transmission, 364
real-time PCR,
bloodmeal identification, 1442
cutoff, 1442
flea, 1442
threshold cycle, 1442
recrudescence,
antibody, 895
Culex, 895
vector competence, 895
West Nile virus, 895
redescription,
Australian cattle tick, 794
reinstatement, 794
Rhipicephalus (*Boophilus*) *australis*, 794
refeeding,
Aedes albopictus, 1424
Aedes triseriatus, 1424
bloodmeal, 1424
La Crosse virus, 1424
reference genes,
Amblyomma maculatum, 1339
qRT-PCR, 1339
reinfestation, 504, 1379
Chagas disease, 1379
geometric morphometry, 504
population structure, 504
pyrethroid resistance, 1379
Triatoma infestans, 504, 1379
vector control, 504, 1379
reinstatement,
Australian cattle tick, 794
redescription, 794
Rhipicephalus (*Boophilus*) *australis*, 794
repellency,
Aedes aegypti, 876
mosquito, 876
plant essential oil, 876
toxicity, 876
repellent,
Aedes aegypti, 1370
biting deterrence, 1370
fatty acid, 1370
structure-activity relationship, 1370
repellent testing,
carvacrol, 101
EcoSMART, 101
nootkatone, 101
permethrin, 101
reproductive potential,
American white pelican, 461
fecundity, 461
Stomoxys calcitrans, 461
Republic of Korea,
bird louse fly, 231
Hippoboscidae, 231
Ornithoica, 231
resistance, 589, 886
acetylcholinesterase, 589
Cry toxin, 886
dominance, 886
genetics, 886
H. irritans, 589
horn fly, 589
mosquito, 886
organophosphate, 589
resistance management,
insecticide-treated bed net, 1052
malaria control, 1052
pyriproxyfen, 1052
sterilizing effect, 1052
restriction fragment-length polymorphism,
18S rRNA, 1515
leishmaniasis, 1515
PCR, 1515
phlebotomine, 1515

Rhinacanthus nasutus,
Anopheles minimus, 993
cytochrome P450, 993
inhibition, 993
Rhipicephalus (*Boophilus*) *australis*,
Australian cattle tick, 794
redescription, 794
reinstatement, 794
Rhipicephalus (*Boophilus*) *australis*, 794
Rhipicephalus microplus larvae,
Amblyomma dissimile, 960
Amblyomma sp. larvae, 960
Rickettsia sp. strain Colombianensi, 960
tick, 960
ribosomal DNA,
hybridization, 1189
ITS2 secondary structure, 1189
Orthopodomyia, 1189
Rickettsia, 766, 1510
Amblyomma, 1510
Anaplasma phagocytophilum, 766
Borrelia burgdorferi sensu lato, 766
Brazil, 1510
Ixodes, 766
quantitative real time PCR, 766
Rio de Janeiro, 1510
tick, 1510
Rickettsia amblyommii,
Amblyomma longirostre, 710
Amblyomma parkeri, 710
Rickettsia parkeri, 710
wild bird, 710
Rickettsia andeanae,
Amblyomma maculatum, 219
Amblyomma triste, 219
Chile, 219
Rickettsia felis,
flea, 1485
flea-borne rickettsiosis, 1485
opossum, 1485
Rickettsia typhi, 1485
Rickettsia parkeri, 710, 922
Amblyomma longirostre, 710
Amblyomma parkeri, 710
bed bug, 922
disease transmission, 922
medical importance, 922
Rickettsia amblyommii, 710
vector competence, 922
wild bird, 710
Rickettsia sp. strain Colombianensi,
Amblyomma dissimile, 960
Amblyomma sp. larvae, 960
Rhipicephalus microplus larvae, 960
tick, 960
Rickettsia typhi,
flea, 1485
flea-borne rickettsiosis, 1485
opossum, 1485
Rickettsia felis, 1485
Rio de Janeiro,
Amblyomma, 1510
Brazil, 1510
Rickettsia, 1510
tick, 1510
Rio Grande,
babesiosis, cattle
giant reed, 410
non-native, 410
RNA-interference,
Culex pipiens, 215
gene silencing, 215
heat shock protein, 215
rove beetle,
dermatitis linearis, 451
insecticide resistance, 451
population dynamics, 451
two-sex life table, 451
RT Nested PCR,
Morocco, 1507
phlebovirus, 1507
sand fly, 1507
Toscana virus, 1507
rubidium,
biomarker, 227
Phlebotomus papatasi, 227
sand fly, 227
self-marking, 227
rupicola series,
Evandromyia, 445
Minas Gerais state, 445
Phlebotominae, 445

S

salivary gland, 547, 563
Amblyomma americanum, 547
Chagas disease, 563
Ehrlichia chaffeensis, 547
PCR, 547
qRT-PCR, 547
sialome, 563
transcriptome, 563
vector biology, 563
sampling,
Dermacentor andersoni, 253
dispersion, 253
negative binomial, 253
sampling bias,
bloodfeeding, 143
Culex, 143
mosquito collection, 143
sand flea,
neosome, 23
Siphonaptera, 23
Tunga bossii sp. nov., 23
Tungidae, 23
sand fly, 227, 515, 1159, 1460, 1507
biomarker, 227
bloodmeal identification, 515
control, 1159
cytochrome *b* PCR, 515
host, 515
Leishmania (*Viannia*), 1159
leishmaniasis, 1159
Lutzomyia shannoni, 1460
Lutzomyia vexator, 1460
Lutzomyia, 1159
Morocco, 1507
Phlebotomus papatasi, 227
phlebovirus, 1507
RT Nested PCR, 1507
rubidium, 227
self-marking, 227
Toscana virus, 1507
visceral leishmaniasis, 515
Sarcophaginae,
llama decomposition, 183
Microcerella antofagastensis, 183
Microcerella quimaliensis, 183
pig decomposition, 183
Scionini,
Copidapha, 1206
morphology, 1206
Pangoniinae, 1206
taxonomy, 1206
Sciuridae,
Amblyomma, 772
Borrelia, 772
Ehrlichia, 772
tick, 772
seasonal oviposition activity,
Aedes albopictus, 262
Athens, 262
Greece, 262
ovitrap, 262
seasonality,
adult size variation, 51
Aedes polynesiensis population dynamic, 51
filariasis vector, 51
trap sampling, 51
self-marking,
biomarker, 227
Phlebotomus papatasi, 227
rubidium, 227
sand fly, 227
semiochemical,
1-octen-3-ol, 112
CO_2, 112
Culicoides, 112
enantiomer, 112

Sempaya,
mosquito, 1289
Mweya, 1289
species composition, 1289
Uganda, 1289
sentinel pupae,
biological control, 1059
dairy, 1059
Musca domestica, 1059
Pteromalidae, 1059
SFG *Rickettsia*,
Amblyomma tuberculatum, 783
phylogenetic analysis, 783
sialome,
Chagas disease, 563
salivary gland, 563
transcriptome, 563
vector biology, 563
Sigmodontinae,
Argentina, 1276
flea, 1276
mite, 1276
tick, 1276
Simulium, 803, 1198
black fly, 803, 1198
Langkawi Island, 1198
Malaysia, 803, 1198
new species, 803, 1198
single nucleotide polymorphism, 299, 307, 581
Africa, 307
Anopheles arabiensis, 307
California, 299
Culex pipiens, 299
Culex quinquefasciatus, 299
Culex theileri, 581
genetic polymorphism, 581
single-nucleotide polymorphism genotyping, 307
single-nucleotide polymorphism genotyping,
Africa, 307
Anopheles arabiensis, 307
single-nucleotide polymorphism, 307
Siphonaptera,
neosome, 23
sand flea, 23
Tunga bossii sp. nov., 23
Tungidae, 23
small mammal,
antibody, 436
prevalence, 436
TBEV, 436
spatial repellent,
Aedes aegpyti, 1387
Novel Room Test, 1387
push and pull system, 1387
Y- tube olfactometer, 1387
species composition,
mosquito, 1289
Mweya, 1289
Sempaya, 1289
Uganda, 1289
spent diet,
artificial diet, 293
Cochliomyia hominivorax, 293
egg production, 293
18S rRNA,
leishmaniasis, 1515
PCR, 1515
phlebotomine, 1515
restriction fragment-length polymorphism, 1515
St. Louis encephalitis virus,
Culex nigripalpus, 1502
vector competence, 1502
stable isotope,
Culex mosquito, 61
mark–capture, 61
mosquito dispersal, 61
sterile insect technique, 1001, 1045
fatty acid, 1001
fitness, 1045
genetic sexing strain, 1045
insect control, 1001
life history, 1045
mass rearing, 1001
Sterile Insect Technique (SIT),
area-wide control, 595
mosquito mass rearing technology, 595
Sterile Insect Technique (SIT), 595
sterilizing effect,
insecticide-treated bed net, 1052
malaria control, 1052
pyriproxyfen, 1052
resistance management, 1052
sterol carrier protein-2,
curcumin analog, 350
mosquitocide, 350
natural product, 350
Stomoxys,
beef, 198
dairy, 198
grazing cattle, 198
production loss, 198
Stomoxys calcitrans, 286, 461, 647, 1084, 1262
acetylcholinesterase inhibition, 1084
American white pelican, 461
benzoylphenyl urea, 647
biosludge, 286
botanical insecticide, 1084
fecundity, 461
Haematobia irritans, 647
Musca domestica, 286, 647
Nzi trap, 1262
ovarian age-grading, 1262
population, 1262
reproductive potential, 461
wastewater treatment facility, 286
Zanthoxylum armatum, 1084
Zanthoxylum piperitum, 1084
stored product mite,
cell adhesion molecule, 1411
cytokine, 1411
endothelial cell, 1411
endotoxin, 1411
stormwater,
belowground, 343
manhole cover, 343
mosquito, 343
newly emerged, 343
structure-activity relationship, 631, 1370
Aedes aegypti, 1370
biting deterrence, 1370
Blattella germanica, 631
botanical insecticide, 631
Cyperus rotundus, 631
fatty acid, 1370
insecticide resistance, 631
repellent, 1370
sugar feeding,
bait station, 1466
Culex tarsalis, 1466
surveillance, 1466
West Nile virus, 1466
surveillance, 939, 1466
bait station, 1466
Culex tarsalis, 1466
mosquito pool, 939
mutation, 939
probe binding region, 939
qRT-PCR, 939
sugar feeding, 1466
West Nile virus, 1466
survival, 467, 825, 981, 1154
Anopheles funestus, 1154
Culex pipiens, 467
daylength, 825
dispersal, 467
global warming, 1154
Ixodes scapularis, 981
life history, 825
likelihood, 981
mosquito, 467
overwintering, 981
phenotypic plasticity, 825
temperature, 1154
West Nile virus, 467
wing-length, 1154

Switzerland,
Ixodes ricinus, 156
phylogeny, 156
tick-borne encephalitis virus, 156
sylvatic yellow fever,
Brazil, 223
Culicidae, 223
vector, 223
symbiosis,
Buchnera, 492
community assembly, 492
microbial biogeography, 492
pyrosequencing, 492
synergism,
artificial mixture, 332
Geranium maculatum, 332
geranium oil, 332
head lice, 332
synergistic action,
Aedes aegypti, 1405
formamidine, 1405
neonicotinoid, 1405
pyrethroid, 1405
synergy,
(-)-asarinin, 107
binary mixture, 107
Culex pipiens pallens, 107
pellitorine, 107

T

target-site insensitivity,
Blattella germanica, 122
enhanced metabolism, 122
fipronil resistance, 122
German cockroach, 122
taxonomy,
Copidapha, 1206
morphology, 1206
Pangoniinae, 1206
Scionini, 1206
TBEV,
antibody, 436
prevalence, 436
small mammal, 436
temperature, 1154, 1233
Aedes albopictus, 1233
Anopheles funestus, 1154
continentality, 1233
Culicidae, 1233
global warming, 1154
northern limit, 1233
survival, 1154
wing-length, 1154
Tennessee,
Borrelia burgdorferi, 1473
Ixodes scapularis, 1473
Lyme disease, 1473
Odocoileus virginianus, 1473
threshold cycle,
bloodmeal identification, 1442
cutoff, 1442
flea, 1442
real-time PCR, 1442
tick, 697, 772, 843, 955, 960, 1276, 1510
Amblyomma dissimile, 960
Amblyomma, 697, 772, 1510
Amblyomma sp. larvae, 960
Argentina, 1276
bloodmeal analysis, 697
Borrelia, 772
Brazil, 1510
Chicago metropolitan area, 955
Dermacentor, 843
Ehrlichia, 772
endosymbiont, 843
flea, 1276
host DNA determination, 697
Ixodes scapularis, 955
Ixodes, 697, 843
Lyme disease, 955
mite, 1276
polymerase chain reaction/electrospray ionization-mass spectrometry, 843
Rhipicephalus microplus larvae, 960
Rickettsia sp. strain Colombianensi, 960
Rickettsia, 1510
Rio de Janeiro, 1510
Sciuridae, 772
Sigmodontinae, 1276
tick activity,
environmental condition, 497
genetic variability, 497
population dynamics, 497
tick-borne encephalitis virus,
Ixodes ricinus, 156
phylogeny, 156
Switzerland, 156
tick control,
biopesticide, 1035
Ixodes scapularis, 1035
Metarhizium, 1035
nootkatone, 1035
timeless,
Aedes albopictus, 777
circadian clock, 777
period, 777
tire,
Aedes aegypti, 1163
Aedes albopictus, 1163
dengue, 1163
United States, 1163
Toscana virus,
Morocco, 1507
phlebovirus, 1507
RT Nested PCR, 1507
sand fly, 1507
toxicity,
Aedes aegypti, 876
mosquito, 876
plant essential oil, 876
repellency, 876
toxicological profile,
Chagas disease vector, 1355
insecticide resistance, 1355.
Triatoma infestans, 1355
transcriptome,
Chagas disease, 563
salivary gland, 563
sialome, 563
vector biology, 563
transfer,
Aedes aegypti, 624
fitness, 624
predation, 624
Wolbachia, 624
transgenic female-killing,
Aedes aegypti, 1177
experimental design, 1177
field cage experiment, 1177
mathematical model, 1177
transmission,
arbovirus, 746
Eastern Equine Encephalitis virus, 746
GIS, 746
habitat, 746
trap,
behavior, 1283
biting activity, 1283
host attractancy, 1283
mosquito population, 1283
trap sampling,
adult size variation, 51
Aedes polynesiensis population dynamic, 51
filariasis vector, 51
seasonality, 51
tree hole,
Aedes japonicus, 1307
Aedes triseriatus, 1307
Triatoma infestans, 504, 1355, 1379
Chagas disease, 1379
Chagas disease vector, 1355
geometric morphometry, 504
insecticide resistance, 1355
population structure, 504
pyrethroid resistance, 1379
reinfestation, 504, 1379
toxicological profile, 1355
vector control, 504, 1379
triatomine,
allergy, 1254
Chagas disease, 1254

dispersal, 1254
United States, 1254
Tunga bossii sp. nov.,
neosome, 23
sand flea, 23
Siphonaptera, 23
Tungidae, 23
Tungidae,
neosome, 23
sand flea, 23
Siphonaptera, 23
Tunga bossii sp. nov., 23
Tunisia,
morph type, 787
Phlebotomus longicuspis, 787
Phlebotomus perniciosus, 787
two-sex life table,
dermatitis linearis, 451
insecticide resistance, 451
population dynamics, 451
rove beetle, 451

U

Uganda,
mosquito, 1289
Mweya, 1289
Sempaya, 1289
species composition, 1289
United States, 1163, 1254
Aedes aegypti, 1163
Aedes albopictus, 1163
allergy, 1254
Chagas disease, 1254
dengue, 1163
dispersal, 1254
tire, 1163
triatomine, 1254
urban entomology,
Arachnida, 947
brown widow, 947
invasive species, 947
Latrodectus, 947
urban environment,
Lutzomyia longipalpis, 43
Mato Grosso do Sul, 43
phlebotomine, 43

V

Vanillin,
citronella oil, 672
Fixolide, 672
Glucam P-20, 672
mosquito repellent, 672
vector, 223, 757, 917
Aedes aegypti, 917
Aedes mediovittatus, 917
bluetongue, 757
Brazil, 223
Culicidae, 223
dengue, 917
flight, 757
meteorology, 757
sylvatic yellow fever, 223
vertebrate host, 917
vector biology,
Chagas disease, 563
salivary gland, 563
sialome, 563
transcriptome, 563
vector-borne disease,
Borrelia burgdorferi, 11
disease ecology, 11
Lyme disease, 11
prevention, 11
vector competence, 132, 678, 895, 922, 927, 942, 967, 1502
Aedes, 942
antibody, 895
bed bug, 922
biting midge, 967
Chicago, 678
classification, 927
Culex nigripalpus, 1502
Culex restuans, 678
Culex, 132, 895
dengue virus, 942
disease transmission, 922
Florida, 942
geometric morphometrics, 927
larval competition, 927
Leishmania transmission, 967
medical importance, 922
recrudescence, 895
Rickettsia parkeri, 922
St. Louis encephalitis virus, 1502
West Nile virus, 895
West Nile virus transmission, 132
WNV, 678
vector control, 504, 722, 1379
Aedes aegypti, 722
Akaike's Information Criterion, 722
Chagas disease, 1379
dengue, 722
geometric morphometry, 504
population structure, 504
pyrethroid resistance, 1379
reinfestation, 504, 1379
Triatoma infestans, 504, 1379
vertebrate host,
Aedes aegypti, 917
Aedes mediovittatus, 917
dengue, 917
vector, 917
visceral leishmaniasis,
bloodmeal identification, 515
cytochrome *b* PCR, 515
host, 515
sand fly, 515
visual cue,
Chrysomya megacephala, 424
Chrysomya rufifacies, 424
forensic entomology, 424
oviposition preference, 424
volume,
Culex quinquefasciatus, 1118
gravid trap, 1118
oviposition, 1118
oviposition trap, 1118

W

wasp development,
heat shock, 1124
larval aggregation, 1124
parasitoid, 1124
predator avoidance strategy, 1124
wastewater treatment facility,
biosludge, 286
Musca domestica, 286
Stomoxys calcitrans, 286
West Nile virus, 165, 175, 467, 717, 851, 895, 1144, 1430, 1466
Aedes vexans, 851
antibody, 895
bait station, 1466
Canadian prairies, 1144
cross-correlation map, 851
Culex flavivirus, 165
Culex pipiens, 467, 717, 851
Culex quinquefasciatus, 165
Culex restuans, 851
Culex tarsalis, 1466
Culex, 895, 1430
dispersal, 467
entomological surveillance, 175
environmental variable, 1144
Flavivirus, 175
generalized linear mixed model, 1144
geographic information system, 1144
Hokkaido, 175
host-feeding patter, 175
insect-only flavivirus, 165
microfilariae, 1430
microfilarial enhancement of arboviral transmission, 1430
mosquito, 467, 1430
mosquito bloodmeal identification, 717
recrudescence, 895
sugar feeding, 1466
surveillance, 1466
survival, 467
vector competence, 895

West Nile virus transmission,
Culex, 132
vector competence, 132
wild bird,
Amblyomma longirostre, 710
Amblyomma parkeri, 710
Rickettsia amblyommii, 710
Rickettsia parkeri, 710
wing-length,
Anopheles funestus, 1154
global warming, 1154
survival, 1154
temperature, 1154
WNV,
Chicago, 678
Culex restuans, 678
vector competence, 678
Wolbachia, 474, 624, 1103
Aedes aegypti, 624
bacteriophage WO, 474
bloodmeal analysis, 474
Culex pipiens, 474, 1103
fitness, 624
genetic substructuring, 474
mosquito, 1103
PCR inhibitor, 1103
predation, 624
transfer, 624
*w*Pip1, 1103

X

Xenopsylla cheopis, 210, 364
Ctenocephalides felis, 210
flea, 210
flea gene expression, 364
flea trap, 210
plague, 210
reactive oxygen species, 364
Yersinia pestis transmission, 364

Y

Y- tube olfactometer,
Aedes aegpyti, 1387
Novel Room Test, 1387
push and pull system, 1387
spatial repellent, 1387
Yersinia pestis transmission,
flea gene expression, 364
reactive oxygen species, 364
Xenopsylla cheopis, 364

Z

Zanthoxylum armatum,
acetylcholinesterase inhibition, 1084
botanical insecticide, 1084
Stomoxys calcitrans, 1084
Zanthoxylum piperitum, 1084
Zanthoxylum piperitum,
acetylcholinesterase inhibition, 1084
botanical insecticide, 1084
Stomoxys calcitrans, 1084
Zanthoxylum armatum, 1084